

**PERAKUAN PEMATUHAN STANDARD  
(BAHAN BINAAN)**

Dengan ini disahkan bahawa

**HIAP TECK HARDWARE SDN BHD (276336-A)**

LOT 6096, JALAN HJ.ABD MANAN  
BATU 5 1/2, JALAN MERU  
41050 KLANG, SELANGOR

Telah menjalani ujian di makmal yang diiktiraf sebagaimana butiran di bawah

No. Kelulusan PPS : <b>2-01190180</b>	
Nama & Alamat Kilang	
<b>MESCIER DEMIR CELIK SANAYI VE TICARET ANONIM SIRKETI ORGANIZE SANAYI BOLGESI CUMHURIYET CADDESİ, NO:1 74000 BARTIN, TURKEY</b>	
Kategori Produk	Negara Pembuat
<b>IRON AND STEEL PRODUCTS</b>	<b>TURKEY</b>
No. Sijil Produk / Laporan Ujian : <b>PC000942</b>	
Tempoh Sah Perakuan Pematuhan Standard	<b>17 Nov 2021</b> sehingga <b>16 Nov 2022</b>
Jenis produk Bahan Binaan : (Rujuk <b>Lampiran A</b> untuk butiran terperinci)	

MOHD IDRUS BIN DIN  
PENGURUS BESAR  
BAHAGIAN STANDARD DAN BAHAN BINAAN



SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

No. Kelulusan PPS : **2-01190180**  
 No. Permohonan : **PPSi\_1121000128**  
 Nama Syarikat / Pengimport : **HIAP TECK HARDWARE SDN BHD**

NO.	NAMA PRODUK	STANDARD PRODUK	JENAMA	SAIZ / DIMENSI	MODEL NO.	GRED
1	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	MESCIER	SIZE (MM) = L18X2.0, L18X2.2, L18X2.5, L18X2.8, L18X3.0, L20X2.2, L20X2.5, L20X2.8, L20X3.0, L20X3.5, L20X4.0, L25X2.2, L25X2.5, L25X2.6, L25X2.7, L25X2.8, L25X3.0, L25X3.5, L25X4.0, L25X4.5, L25X5.0, L25X5.5, L25X6.0, L30X2.2, L30X2.5, L30X2.6, L30X2.7, L30X2.8, L30X3.0, L30X3.5, L30X4.0, L30X4.5, L30X5.0, L30X5.5, L30X6.0, L35X2.2, L35X2.5, L35X3.0, L35X3.5, L35X4.0, L35X4.5, L35X5.0, L35X5.5, L35X6.0, L38X2.2, L38X2.5, L38X2.6, L38X2.7, L38X2.8, L38X3.0, L38X3.5, L38X3.7, L38X3.8, L38X4.0, L38X4.5, L38X4.8, L38X5.0, L38X5.5, L38X5.6, L38X5.8, L38X6.0	EQUAL ANGLES (L)	QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS ROLLED), S275
2	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	MESCIER	SIZE (MM) = L40X2.8, L40X3.0, L40X3.5, L40X4.0, L40X4.5, L40X5.0, L40X5.5, L40X6.0, L45X2.8, L45X3.0, L45X3.5, L45X4.0, L45X4.5, L45X5.0, L45X5.5, L45X6.0, L50X2.8, L50X3.0, L50X3.5, L50X3.6, L50X4.0, L50X4.3, L50X4.5, L50X4.6, L50X4.8, L50X5.0, L50X5.5, L50X5.6, L50X5.8, L50X6.0, L60X5.0, L60X5.5, L60X6.0, L60X7.0, L60X8.0, L65X5.0, L65X5.6, L65X5.8, L65X6.0, L65X7.0, L65X7.5, L65X8.0, L65X8.8, L65X9.0, L70X5.0, L70X6.0, L70X7.0, L70X8.0, L70X9.0, L75X5.0, L75X6.0, L75X7.0, L75X7.2, L75X7.5, L75X8.0, L75X9.0,	EQUAL ANGLES (L)	QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS ROLLED), S275

3	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	MESCIER	SIZE (MM) = L80X6.0, L80X7.0, L80X8.0, L80X10.0	EQUAL ANGLES (L)	QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS ROLLED), S275
4	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	MESCIER	SIZE (MM) = L90X6.0, L90X7.0, L90X8.0, L90X9.0, L90X10.0, L100X6.0, L100X7.0, L100X8.0, L100X9.0, L100X10.0, L100X12.0, L120X8.0, L120X10.0, L120X12.0	EQUAL ANGLES (L)	QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS ROLLED), S275