



PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Dengan ini disahkan bahawa

HIAP TECK HARDWARE SDN BHD (276336-A)

LOT 6096, JALAN HJ.ABD MANAN
BATU 5 1/2, JALAN MERU
41050 KLANG, SELANGOR

Telah menjalani ujian di makmal yang diiktiraf sebagaimana butiran di bawah

No. Kelulusan PPS : 2-01200102	
Nama & Alamat Kilang	
QINHUANGDAO GUOYANG STEEL CO. LTD. SOUTH OF LIUJIAYING LULONG COUNTY QINHUANGDAO CITY, CHINA	
Kategori Produk	Negara Pembuat
IRON AND STEEL PRODUCTS	CHINA
No. Sijil Produk / Laporan Ujian : PC001214	
Tempoh Sah Perakuan Pematuhan Standard	11 May 2022 sehingga 10 May 2023
Jenis produk Bahan Binaan : (Rujuk Lampiran A untuk butiran terperinci)	

MOHD IDRUS BIN DIN
PENGURUS BESAR
BAHAGIAN STANDARD DAN BAHAN BINAAN



SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

No. Kelulusan PPS : **2-01200102**
 No. Permohonan : **PPSi_0522000020**
 Nama Syarikat / Pengimport : **HIAP TECK HARDWARE SDN BHD**

NO.	NAMA PRODUK	STANDARD PRODUK	JENAMA	SAIZ / DIMENSI	MODEL NO.	GRED
1	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 25X25X2.5, 25X25X2.6, 25X25X2.7, 25X25X2.8, 25X25X2.9, 25X25X3.0, 30X30X2.5, 30X30X2.6, 30X30X2.7, 30X30X2.8, 30X30X2.8, 30X30X2.9, 30X30X3.0, 30X30X3.1, 30X30X3.2, 30X30X3.3, 30X30X3.4, 30X30X3.5, 30X30X3.6, 30X30X3.7, 30X30X3.8, 30X30X3.9, 30X30X4.0, 30X30X4.1, 30X30X4.2, 30X30X4.2, 30X30X4.3, 30X30X4.4, 30X30X4.5, 30X30X4.6, 30X30X4.7, 30X30X4.8, 30X30X4.9, 30X30X5.0	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
2	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 38X38X2.5, 38X38X2.6, 38X38X2.7, 38X38X2.8, 38X38X2.9, 38X38X3.0, 38X38X3.1, 38X38X3.2, 38X38X3.3, 38X38X3.4, 38X38X3.5, 38X38X3.6, 38X38X3.7, 38X38X3.8, 38X38X4.0, 38X38X4.2, 38X38X4.3, 38X38X4.4, 38X38X4.5, 38X38X4.6, 38X38X4.7, 38X38X4.8, 38X38X5.0, 40X40X3.0, 40X40X3.2, 40X40X3.5, 40X40X3.6, 40X40X3.7, 40X40X3.8, 40X40X4.0, 40X40X4.2, 40X40X4.4, 40X40X4.5, 40X40X4.6, 40X40X4.7, 40X40X4.8, 40X40X5, 40X40X5.2, 40X40X5.3, 40X40X5.4, 40X40X5.5, 40X40X5.6, 40X40X5.7, 40X40X5.8, 40X40X6.0	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

3	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 50X50X3.0, 50X50X3.5, 50X50X3.6, 50X50X3.7, 50X50X3.8, 50X50X4.0, 50X50X4.5, 50X50X4.6, 50X50X4.7, 50X50X4.8, 50X50X5.0, 50X50X5.5, 50X50X5.6, 50X50X5.7, 50X50X5.8, 50X50X6.0, 50X50X6.5, 50X50X6.6, 50X50X6.7, 50X50X6.8, 50X50X7.0, 50X50X7.5, 50X50X7.7, 50X50X8.0	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
4	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 60X60X5.0, 60X60X5.4, 60X60X5.5, 60X60X5.6, 60X60X5.7, 60X60X5.8, 60X60X6.0, 63X63X6.0, 63X63X6.5, 63X63X6.6, 63X63X6.7, 63X63X6.8, 63X63X7.0, 63X63X7.4, 63X63X7.5, 63X63X7.6, 63X63X7.7, 63X63X7.8, 63X63X8.0, 65X65X5.0, 65X65X5.4, 65X65X5.5, 65X65X5.6, 65X65X5.7, 65X65X5.8, 65X65X6.0, 65X65X7.0, 65X65X7.5, 65X65X8.0, 70X70X6.0, 70X70X6.5, 70X70X7.0, 75X75X5.0, 75X75X5.5, 75X75X6.0, 75X75X6.5, 75X75X7.0, 75X75X7.5, 75X75X8.0, 75X75X8.5, 75X75X9.0, 75X75X9.5, 75X75X10.0, 75X75X11, 75X75X12.0,	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
5	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 80X80X6.0, 80X80X6.5, 80X80X7.0, 80X80X7.5, 80X80X8.0, 80X80X8.5, 80X80X9.0, 80X80X9.5, 80X80X10.0, 90X90X6.0, 90X90X6.5, 90X90X7.0, 90X90X7.5, 90X90X8.0, 90X90X8.5, 90X90X9.0, 90X90X9.5, 90X90X10.0, 90X90X10.5, 90X90X11.0, 90X90X11.5, 90X90X12.0, 100X100X6.0, 100X100X6.5, 100X100X7.0, 100X100X7.5, 100X100X8.0, 100X100X8.5, 100X100X9.0, 100X100X9.5, 100X100X10.0, 100X100X11.0, 100X100X12.0,	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

6	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	HEIGHT X WIDTH X THICKNESS (MM) = 75X40X3.8, 75X40X5.0,	C-CHANNEL	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
7	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	HEIGHT X WIDTH X THICKNESS (MM) = 80X43X5.0, 100X50X3.8, 100X50X5.0, 102X51X6.1, 120X53X5.5, 125X65X5.2, 125X65X6.0, 127X64X6.4, 140X58X6.0, 150X75X5.5, 150X75X6.5, 150X75X9.0, 152X76X6.4, 160X63X6.5, 180X68X7.0, 200X73X7.0,	C-CHANNEL	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
8	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS X FLANGE THICKNESS (MM) = 100X100X6.8X8.0, 148X100X6X9, 125X125X6.5X9	H-BEAM	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
9	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2: 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS X FLANGE THICKNESS (MM) = 150X75X5X7.0, 200X100X4.5X6.7	H-BEAM	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

10	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	150X75X9.0, 150X75X10.0, 150X75X12.0, 150X100X10.0, 150X100X12.0	UNEQUAL ANGLE	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
----	------------------------------------------------------------	----------------------	-----------------------------------------	------------------------------------------------------------------------	---------------	----------------------------------------------------------------------------------------------------------------