



## PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Dengan ini disahkan bahawa

### HIAP TECK HARDWARE SDN BHD (276336-A)

LOT 6096, JALAN HJ.ABD MANAN  
BATU 5 1/2, JALAN MERU  
41050 KLANG, SELANGOR

Telah menjalani ujian di makmal yang diiktiraf sebagaimana butiran di bawah

No. Kelulusan PPS : <b>2-02190080</b>	
Nama & Alamat Kilang	
<b>MESCIER DEMIR CELIK SANAYI VE TICARET ANONIM SIRKETI ORGANIZE SANAYI BOLGESI CUMHURIYET CADDESİ, NO: 1 74000 BARTIN, TURKEY</b>	
Kategori Produk	Negara Pembuat
<b>IRON AND STEEL PRODUCTS</b>	<b>TURKEY</b>
No. Sijil Produk / Laporan Ujian : <b>PC000941</b>	
Tempoh Sah Perakuan Pematuhan Standard	<b>17 Nov 2022</b> sehingga <b>16 Nov 2023</b>
Jenis produk Bahan Binaan : (Rujuk <b>Lampiran A</b> untuk butiran terperinci)	

SR NAZIR MUHAMAD NOR  
PENGURUS BESAR  
BAHAGIAN STANDARD DAN BAHAN BINAAN



SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

**LAMPIRAN A**

No. Kelulusan PPS : **2-02190080**  
 No. Permohonan : **PPSi\_1122000206**  
 Nama Syarikat / Pengimport : **HIAP TECK HARDWARE SDN BHD**

NO.	NAMA PRODUK	STANDARD PRODUK	JENAMA	SAIZ / DIMENSI	MODEL NO.	GRED
1	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	SIZE (MM) = SQ7, SQ7.5, SQ8, SQ8.5, SQ9, SQ9.5, SQ10, SQ10.5, SQ11, SQ11.5, SQ12, SQ12.5, SQ13, SQ13.5, SQ14, SQ14.5, SQ15, SQ15.5, SQ16, SQ18, SQ19, SQ20, SQ22, SQ25, SQ30, SQ32, SQ35, SQ38, SQ40, SQ45, SQ50, SQ55, SQ60, SQ65, SQ70, SQ75, SQ80	SQUARE BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)
2	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	DIAMETER (MM) = 7, 7.5, 8, 8.5, 9, 9.5, 10, 11, 11.5, 12, 12.5, 13, 13.5, 14, 14.5, 15, 15.5, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 35, 36, 38, 40, 42, 44, 45, 50, 55, 60, 65, 70, 75, 80	ROUND BARS	S275= JR; DELIVERY CONDITION = +AR (AS ROLLED)
3	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	WIDTH (MM) X THICKNESS (MM) = 10X2.8, 10X3.0, 10X3.7, 10X3.8, 10X4.0, 10X4.5, 10X4.8, 10X5.0, 12X2.8, 12X3.0, 12X3.7, 12X3.8, 12X4.0, 12X4.5, 12X4.8, 12X5.0, 12X5.5, 12X5.8, 12X6.0, 12X8.0, 14X2.8, 14X3.0, 14X3.7, 14X3.8, 14X4.0, 14X4.5, 14X4.8, 14X5.0, 14X5.8, 14X6.0, 14X8.0, 15X2.8, 15X3.0, 15X3.7, 15X3.8, 15X4.0, 15X4.5, 15X4.8, 15X5.0, 15X5.8, 15X6.0, 15X8.0, 16X2.8, 16X3.0, 16X3.7, 16X3.8, 16X4.0, 16X4.5, 16X4.8, 16X5.0, 16X5.8, 16X6.0, 16X8.0, 18X2.8, 18X3.0, 18X3.7, 18X3.8, 18X4.0, 18X4.5, 18X4.8, 18X5.0, 18X5.8, 18X6.0, 18X8.0	FLAT BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)

4	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	WIDTH (MM) X THICKNESS (MM) = 20X2.8, 20X3.0, 20X3.7, 20X3.8, 20X4.0, 20X4.5, 20X4.8, 20X5.0, 20X5.8, 20X6.0 20X8.0, 20X10.0, 4X2.8, 24X3.0, 24X3.7, 24X3.8, 24X4.0, 24X4.5, 24X4.8, 24X5.0, 24X5.8, 24X6.0, 24X8.0, 24X10.0, 25X2.8, 25X3.0, 25X3.7, 25X3.8, 25X4.0, 25X4.3, 25X4.5, 25X4.8, 25X5.0, 25X5.8, 25X6.0, 25X8.0, 25X9.0, 25X10.0, 25X12.0, 30X2.8, 30X3.0, 30X3.8, 30X4.0, 30X4.3, 30X4.5, 30X4.8, 30X5.0, 30X5.8, 30X6.0, 30X8.0, 30X9.0, 30X10.0, 30X12.0, 30X15.0	FLAT BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)
5	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	WIDTH (MM) X THICKNESS (MM) = 32X2.8, 32X3.0, 32X3.8, 32X4.0, 32X4.3, 32X4.5, 32X4.8, 32X5.0, 32X5.8, 32X6.0, 32X8.0, 32X9.0, 32X10.0, 32X12.0, 32X15.0, 35X2.8, 35X3.0, 35X3.8, 35X4.0, 35X4.3, 35X4.5, 35X4.8, 35X5.0, 35X5.8, 35X6.0, 35X8.0, 35X9.0, 35X10.0, 35X12.0, 35X15.0, 38X2.8, 38X3.0, 38X3.7, 38X3.8, 38X4.0, 38X4.3, 38X4.5, 38X4.8, 38X5.0, 38X5.8, 38X6.0, 38X8.0, 38X9.0, 38X10.0, 38X12.0, 38X15.0, 38X16.0, 38X19.0	FLAT BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)

6	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	WIDTH (MM) X THICKNESS (MM) = 40X2.8, 40X3.0, 40X3.8, 40X4.0, 40X4.3, 40X4.5, 40X4.8, 40X5.0, 40X5.8, 40X6.0, 40X8.0,40X9.0, 40X10.0, 40X12.0, 40X15.0, 40X16.0, 40X19.0, 40X20.0, 45X2.8, 45X3.0,45X3.8, 45X4.0, 45X4.3, 45X4.5, 45X4.8, 45X5.0, 45X5.8, 45X6.0, 45X8.0, 45X9.0,45X10.0, 45X12.0, 45X15.0, 45X16.0, 45X19.0, 45X20.0, 50X2.8, 50X3.0, 50X3.8, 50X4.0, 50X4.3, 50X4.5, 50X4.8, 50X5.0, 50X5.8, 50X6.0, 50X8.0, 50X9.0, 50X10.0,50X12.0, 50X15.0, 50X16.0, 50X19.0, 50X20.0, 50X25.0, 60X5.0, 60X6.0, 60X8.0,60X10.0, 60X12.0, 60X15.0, 60X15.0, 60X19.0, 60X20.0, 60X25.0	FLAT BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)
7	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	WIDTH (MM) X THICKNESS (MM) = 65X6.0, 65X7.0, 65X8.0, 65X8.8, 65X9.0, 65X10.0, 65X15.0, 65X19.0, 65X20.0, 65X25.0, 75X6.0, 75X8.0, 75X9.0, 75X10.0, 75X12.0, 75X15.0, 75X16.0, 75X19.0, 75X20.0, 75X25.0, 80X6.0, 80X7.0, 80X8.0, 80X10.0, 80X12.0, 80X15.0, 80X16.0, 80X19.0, 80X20.0, 80X25.0, 90X6.0, 90X8.0, 90X 9.0, 90X 10.0, 90X12.0, 90X15.0, 90X16.0, 90X19.0, 90X20.0, 90X25.0, 100X6.0, 100X8.0, 100X9.0, 100X10.0, 100X12.0, 100X15.0, 100X16.0, 100X19.0, 100X20.0, 100X25.0, 120X6.0, 120X8.0, 120X9.0, 120X 10.0, 120X12.0, 120X15.0, 120X16.0, 120X19.0, 120X20.0, 120X25.0	FLAT BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)

8	HOT ROLLED BARS AND RODS OF NON-ALLOY STRUCTURAL STEELS	MS EN 10025-2 : 2011	MESCIER	WIDTH (MM) X THICKNESS (MM) = 125X6.0, 125X8.0, 125X9.0, 125X10.0, 125X12.0, 125X15.0, 125X16.0, 125X19.0, 125X20.0, 125X 25.0, 130X6.0, 130X8.0, 130X9.0, 130X10.0, 130X 12.0, 130X15.0, 130X16.0, 130X19.0, 130X20.0, 130X25.0, 140X6.0, 140X8.0, 140X9.0, 140X10.0, 140X12.0, 140X15.0, 140X16.0, 140X19.0, 140X20.0, 140X25.0, 150X6.0, 150X8.0, 150X9.0, 150X10.0, 150X12.0, 150X15.0, 150X16.0, 150X19.0, 150X20.0, 150X25.0	FLAT BARS	S275= JR; DELIVERY CONDITION = +AR (AS-ROLLED)
---	--	----------------------	---------	--	-----------	--