



PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Dengan ini disahkan bahawa

HIAP TECK HARDWARE SDN BHD (276336-A)

LOT 6096, JALAN HJ.ABD MANAN
BATU 5 1/2, JALAN MERU
41050 KLANG, SELANGOR

Telah menjalani ujian di makmal yang diiktiraf sebagaimana butiran di bawah

No. Kelulusan PPS : 2-01200102	
Nama & Alamat Kilang	
QINHUANGDAO GUOYANG STEEL CO. LTD. SOUTH OF LIUJIAYING LULONG COUNTY QINHUANGDAO CITY, CHINA	
Kategori Produk	Negara Pembuat
IRON AND STEEL PRODUCTS	CHINA
No. Sijil Produk / Laporan Ujian : PC001214	
Tempoh Sah Perakuan Pematuhan Standard	29 Jul 2023 sehingga 28 Jul 2024
Jenis produk Bahan Binaan : (Rujuk Lampiran A untuk butiran terperinci)	



SR NAZIR MUHAMAD NOR
PENGURUS BESAR
BAHAGIAN STANDARD DAN BAHAN BINAAN

SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

No. Kelulusan PPS : **2-01200102**
 No. Permohonan : **PPSi_0723000233**
 Nama Syarikat / Pengimport : **HIAP TECK HARDWARE SDN BHD**

NO.	NAMA PRODUK	STANDARD PRODUK	JENAMA	SAIZ / DIMENSI	MODEL NO.	GRED
1	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 25X25X2.5, 25X25X2.6, 25X25X2.7, 25X25X2.8, 25X25X2.9, 25X25X3.0, 30X30X2.5, 30X30X2.6, 30X30X2.7, 30X30X2.8, 30X30X2.8, 30X30X2.9, 30X30X3.0, 30X30X3.1, 30X30X3.2, 30X30X3.3, 30X30X3.4, 30X30X3.5, 30X30X3.6, 30X30X3.7, 30X30X3.8, 30X30X3.9, 30X30X4.0, 30X30X4.1, 30X30X4.2, 30X30X4.2, 30X30X4.3, 30X30X4.4, 30X30X4.5, 30X30X4.6, 30X30X4.7, 30X30X4.8, 30X30X4.9, 30X30X5.0	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
2	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 38X38X2.5, 38X38X2.6, 38X38X2.7, 38X38X2.8, 38X38X2.9, 38X38X3.0, 38X38X3.1, 38X38X3.2, 38X38X3.3, 38X38X3.4, 38X38X3.5, 38X38X3.6, 38X38X3.7, 38X38X3.8, 38X38X4.0, 38X38X4.2, 38X38X4.3, 38X38X4.4, 38X38X4.5, 38X38X4.6, 38X38X4.7, 38X38X4.8, 38X38X5.0, 40X40X3.0, 40X40X3.2, 40X40X3.5, 40X40X3.6, 40X40X3.7, 40X40X3.8, 40X40X4.0, 40X40X4.2, 40X40X4.4, 40X40X4.5, 40X40X4.6, 40X40X4.7, 40X40X4.8, 40X40X5, 40X40X5.2, 40X40X5.3, 40X40X5.4, 40X40X5.5, 40X40X5.6, 40X40X5.7, 40X40X5.8, 40X40X6.0	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

3	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 50X50X3.0, 50X50X3.5, 50X50X3.6, 50X50X3.7, 50X50X3.8, 50X50X4.0, 50X50X4.5, 50X50X4.6, 50X50X4.7, 50X50X4.8, 50X50X5.0, 50X50X5.5, 50X50X5.6, 50X50X5.7, 50X50X5.8, 50X50X6.0, 50X50X6.5, 50X50X6.6, 50X50X6.7, 50X50X6.8, 50X50X7.0, 50X50X7.5, 50X50X7.7, 50X50X8.0	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
4	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 60X60X5.0, 60X60X5.4, 60X60X5.5, 60X60X5.6, 60X60X5.7, 60X60X5.8, 60X60X6.0, 63X63X6.0, 63X63X6.5, 63X63X6.6, 63X63X6.7, 63X63X6.8, 63X63X7.0, 63X63X7.4, 63X63X7.5, 63X63X7.6, 63X63X7.7, 63X63X7.8, 63X63X8.0, 65X65X5.0, 65X65X5.4, 65X65X5.5, 65X65X5.6, 65X65X5.7, 65X65X5.8, 65X65X6.0, 65X65X7.0, 65X65X7.5, 65X65X8.0, 70X70X6.0, 70X70X6.5, 70X70X7.0, 75X75X5.0, 75X75X5.5, 75X75X6.0, 75X75X6.5, 75X75X7.0, 75X75X7.5, 75X75X8.0, 75X75X8.5, 75X75X9.0, 75X75X9.5, 75X75X10.0, 75X75X11, 75X75X12.0,	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
5	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 80X80X6.0, 80X80X6.5, 80X80X7.0, 80X80X7.5, 80X80X8.0, 80X80X8.5, 80X80X9.0, 80X80X9.5, 80X80X10.0, 90X90X6.0, 90X90X6.5, 90X90X7.0, 90X90X7.5, 90X90X8.0, 90X90X8.5, 90X90X9.0, 90X90X9.5, 90X90X10.0, 90X90X10.5, 90X90X11.0, 90X90X11.5, 90X90X12.0, 100X100X6.0, 100X100X6.5, 100X100X7.0, 100X100X7.5, 100X100X8.0, 100X100X8.5, 100X100X9.0, 100X100X9.5, 100X100X10.0, 100X100X11.0, 100X100X12.0,	EQUAL ANGLES	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

6	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	HEIGHT X WIDTH X THICKNESS (MM) = 75X40X3.8, 75X40X5.0,	C-CHANNEL	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
7	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	HEIGHT X WIDTH X THICKNESS (MM) = 80X43X5.0, 100X50X3.8, 100X50X5.0, 102X51X6.1, 120X53X5.5, 125X65X5.2, 125X65X6.0, 127X64X6.4, 140X58X6.0, 150X75X5.5, 150X75X6.5, 150X75X9.0, 152X76X6.4, 160X63X6.5, 180X68X7.0, 200X73X7.0,	C-CHANNEL	STRUCTURAL STEEL = S235 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
8	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS X FLANGE THICKNESS (MM) = 100X100X6.8X8.0, 106X103X7.1X8.8, 146X95X3.0X3.8, 147X100X3.3X4.2, 148X100X4.0X4.7, 148X100X6X9, 148X100X4.3X4.9, 125X125X6.5X9, 150X75X5X7.0, 150X100X4.3X5.5, 151X100X4.8X6.0, 152X102X5.3X6.5, 152X152X5.3X6.3, 152X152X5.8X6.6, 153X102X5.8X7.1, 154X102X6.3X7.6, 157X153X6.6X9.3, 162X154X8.1X11.6, 175X90X5X8, 198X99X4.5X7, 200X100X4.5X6.7, 200X100X4.3X5.2, 200X100X5.5X8, 201X165X5.5X8.0, 201X166X6.2X10.2, 203X102X5.8X6.5, 203X152X4.9X6.3, 206X102X6.2X8.0, 206X133X4.3X5.5, 207X133X5.8X8.4, 210X134X6.4X10.2	H-BEAM	STRUCTURAL STEEL = S235, S275, S355 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

9	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2: 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS X FLANGE THICKNESS (MM) = 100X100X6.X8.0, 106X103X7.1X8.8, 146X95X3.0X3.8, 147X100X3.3X4.2, 148X100X4.0X4.7, 148X100X6X9, 148X100X4.3X4.9, 125X125X6.5X9, 150X75X5X7.0, 150X100X4.3X5.5, 151X100X4.8X6.0, 152X102X5.3X6.5, 152X152X5.3X6.3, 152X152X5.8X6.6, 153X102X5.8X7.1, 154X102X6.3X7.6, 157X153X6.6X9.3, 162X154X8.1X11.6, 175X90X5X8, 198X99X4.5X7, 200X100X4.5X6.7, 200X100X4.3X5.2, 200X100X5.5X8, 201X165X5.5X8.0, 201X166X6.2X10.2, 203X102X5.8X6.5, 203X152X4.9X6.3, 206X102X6.2X8.0, 206X133X4.3X5.5, 207X133X5.8X8.4, 210X134X6.4X10.2	H-BEAM	STRUCTURAL STEEL = S235, S275, S355 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
10	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS (MM) = 150X75X8.0, 150X75X9.0, 150X75X10.0, 150X75X12.0, 150X100X10.0, 150X100X12.0, 200X100X10, 200X100X12, 200X100X15	UNEQUAL ANGLE	STRUCTURAL STEEL = S235, S275, S355 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)

11	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2:2011	QINHUANGDAO GUOYANG STEEL CO. LTD	WIDTH X WIDTH X THICKNESS X FLANGE THICKNESS (MM) =100X100X6.X8.0, 106X103X7.1X8.8, 146X95X3.0X3.8, 147X100X3.3X4.2, 148X100X4.0X4.7, 148X100X6X9, 148X100X4.3X4.9, 125X125X6.5X9, 150X75X5X7.0, 150X100X4.3X5.5, 151X100X4.8X6.0, 152X102X5.3X6.5, 152X152X5.3X6.3, 152X152X5.8X6.6, 153X102X5.8X7.1, 154X102X6.3X7.6, 157X153X6.6X9.3, 162X154X8.1X11.6, 175X90X5X8, 198X99X4.5X7, 200X100X4.5X6.7, 200X100X4.3X5.2, 200X100X5.5X8, 201X165X5.5X8.0, 201X166X6.2X10.2, 203X102X5.8X6.5, 203X152X4.9X6.3, 206X102X6.2X8.0, 206X133X4.3X5.5, 207X133X5.8X8.4, 210X134X6.4X10.2	H - BEAM	STRUCTURAL STEEL = S235, S275, S355 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)
12	HOT ROLLED SECTIONS OF NON-ALLOY SRTUCTURAL STEEL	MS EN 10025-2:2011	QINHUANGDAO GUOYANG STEEL CO. LTD	DEPTH(INCH) X UNIT WEIGHT(LBS/FT) = W4X13, W6X6.2, W6X7, W6X8, W6X8.5, W6X9, W6X10, W6X11, W6X12, W6X13, W6X14, W6X15, W6X20, W6X25, W8X10, W8X12.5, W8X13, W8X15, W8X15.3, W8X18, W8X19.6, W8X21, W8X24, W6X12.1, W6X16, W8X8, W8X28, W10X12, W10X15, W10X17, W10X19	H-BEAM	STRUCTURAL STEEL = S235, S275, S355 QUALITY DESIGNATION = JR; DELIVERY CONDITION = +AR (AS-ROLLED)