



## PERAKUAN PEMATUHAN STANDARD (BAHAN BINAAN)

Dengan ini disahkan bahawa

### HIAP TECK HARDWARE SDN BHD (276336-A)

LOT 6096, JALAN HJ.ABD MANAN  
BATU 5 1/2, JALAN MERU  
41050 KLANG, SELANGOR

Telah menjalani ujian di makmal yang diiktiraf sebagaimana butiran di bawah

No. Kelulusan PPS : <b>2-10230033</b>	
Nama & Alamat Kilang	
<b>SIAM YAMATO STEEL CO., LTD 9 I-7 ROAD, MAPTAPHUT SUB-DISTRICT 21150 MUANG DISTRICT RAYONG PROVINCE, THAILAND</b>	
Kategori Produk	Negara Pembuat
<b>IRON AND STEEL PRODUCTS</b>	<b>THAILAND</b>
No. Sijil Produk / Laporan Ujian : <b>PS105607</b>	
Tempoh Sah Perakuan Pematuhan Standard	<b>06 Dec 2023</b> sehingga <b>05 Dec 2024</b>
Jenis produk Bahan Binaan : (Rujuk <b>Lampiran A</b> untuk butiran terperinci)	



SR NAZIR MUHAMAD NOR  
PENGURUS BESAR  
BAHAGIAN STANDARD DAN BAHAN BINAAN

SIJIL INI ADALAH CETAKAN KOMPUTER DAN TIDAK MEMERLUKAN TANDATANGAN

No. Kelulusan PPS : **2-10230033**  
 No. Permohonan : **PPSi\_1223000021**  
 Nama Syarikat / Pengimport : **HIAP TECK HARDWARE SDN BHD**

NO.	NAMA PRODUK	STANDARD PRODUK	JENAMA	SAIZ / DIMENSI	MODEL NO.	GRED
1	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 203 X 102 X 23, 203 X 133 X 25, 203 X 133 X 30, 254 X 102 X 22, 254 X 102 X 25, 254 X 102 X 28, 254 X 146 X 31, 254 X 146 X 37, 254 X 146 X 43, 305 X 102 X 25, 305 X 102 X 28, 305 X 102 X 33, 305 X 165 X 40, 305 X 165 X 46, 305 X 165 X 54, 356 X 127 X 33, 356 X 127 X 39, 356 X 171 X 45, 356 X 171 X 51, 356 X 171 X 57, 356 X 171 X 67, 406 X 140 X 39, 406 X 140 X 46, 406 X 178 X 54, 406 X 178 X 60, 406 X 178 X 67, 406 X 178 X 74, 457 X 152 X 52, 457 X 152 X 60, 457 X 152 X 67, 457 X 152 X 74, 457 X 152 X 82, 457 X 191 X 67, 457 X 191 X 74, 457 X 191 X 82, 457 X 191 X 89, 457 X 191 X 98, 533 X 210 X 82, 533 X 210 X 92, 533 X 210 X 101, 533 X 210 X 109, 533 X 210 X 122, 610 X 229 X 101, 610 X 229 X 113, 610 X 229 X 125, 610 X 229 X 140, 610 X 305 X 149, 610 X 305 X 179, 610 X 305 X 238, 686 X 254 X 125, 686 X 254 X 140, 686 X 254 X 152, 686 X 254 X 170, 762 X 267 X 134, 762 X 267 X 147, 762 X 267 X 173, 762 X 267 X 197, 838 X 292 X 176, 838 X 292 X 194, 838 X 292 X 226	UNIVERSAL BEAMS (UB)	STRUCTURAL STEEL = S275 , S355 QUALITY DESIGNATION = JR,J0 , J2 ; DELIVERY CONDITION =+AR

2	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 203 X 102 X 23, 203 X 133 X 25, 203 X 133 X 30, 254 X 102 X 22, 254 X 102 X 25, 254 X 102 X 28, 254 X 146 X 31, 254 X 146 X 37, 254 X 146 X 43, 305 X 102 X 25, 305 X 102 X 28, 305 X 102 X 33, 305 X 165 X 40, 305 X 165 X 46, 305 X 165 X 54, 356 X 127 X 33, 356 X 127 X 39, 356 X 171 X 45, 356 X 171 X 51, 356 X 171 X 57, 356 X 171 X 67, 406 X 140 X 39, 406 X 140 X 46, 406 X 178 X 54, 406 X 178 X 60, 406 X 178 X 67, 406 X 178 X 74, 457 X 152 X 52, 457 X 152 X 60, 457 X 152 X 67, 457 X 152 X 74, 457 X 152 X 82, 457 X 191 X 67, 457 X 191 X 74, 457 X 191 X 82, 457 X 191 X 89, 457 X 191 X 98, 533 X 210 X 82, 533 X 210 X 92, 533 X 210 X 101, 533 X 210 X 109, 533 X 210 X 122, 610 X 229 X 101, 610 X 229 X 113, 610 X 229 X 125, 610 X 229 X 140, 610 X 305 X 149, 610 X 305 X 179, 610 X 305 X 238, 686 X 254 X 125, 686 X 254 X 140, 686 X 254 X 152, 686 X 254 X 170, 762 X 267 X 134, 762 X 267 X 147, 762 X 267 X 173, 762 X 267 X 197, 838 X 292 X 176, 838 X 292 X 194, 838 X 292 X 226	UNIVERSAL BEAMS (UB)	STRUCTURAL STEEL = S275 , S355 QUALITY DESIGNATION = JR,J0 , J2 ; DELIVERY CONDITION =+AR
3	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 152 X 152 X 23, 152 X 152 X 30, 152 X 152 X 37, 203 X 203 X 46, 203 X 203 X 46.1, 203 X 203 X 52, 203 X 203 X 60, 203 X 203 X 71, 203 X 203 X 86, 254 X 254 X 73, 254 X 254 X 89, 254 X 254 X 107, 254 X 254 X 132, 254 X 254 X 167, 305 X 305 X 97, 305 X 305 X 118, 305 X 305 X 137, 305 X 305 X 158, 305 X 305 X 198, 305 X 305 X 240, 305 X 305 X 283, 356 X 368 X 129, 356 X 368 X 153, 356 X 368 X 177, 356 X 368 X 202, 356 X 406 X 235, 356 X 406 X 235.1	UNIVERSAL COLUMNS (UC)	STRUCTURAL STEEL = S275 , S355 QUALITY DESIGNATION = JR,J0 , J2 ; DELIVERY CONDITION =+AR

4	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 203 X 203 X 45, 203 X 203 X 54, 254 X 254 X 63, 254 X 254 X 71, 254 X 254 X 85, 305 X 305 X 79, 305 X 305 X 88, 305 X 305 X 95, 305 X 305 X 110, 305 X 305 X 126, 305 X 305 X 149, 305 X 305 X 186, 305 X 305 X 223, 356 X 368 X 109, 356 X 368 X 133, 356 X 368 X 152, 356 X 368 X 174	UNIVERSAL BEARING PILES (UBP)	STRUCTURAL STEEL = S275 , S355 QUALITY DESIGNATION = JR,J0 , J2 ; DELIVERY CONDITION =+AR
---	--	----------------------	-----	--	----------------------------------	--

5	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 102 X 102 X 19.3, 127 X 127 X 23.8, 127 X 127 X 28.1, 152 X 102 X 13.5, 152 X 102 X 18, 152 X 102 X 24, 152 X 152 X 22.5, 152 X 152 X 29.8, 152 X 152 X 37.1, 203 X 102 X 19.3, 203 X 102 X 22.5, 203 X 133 X 26.6, 203 X 133 X 31.3, 203 X 203 X 46.1, 203 X 203 X 52, 203 X 203 X 59, 203 X 203 X 71, 203 X 203 X 86, 203 X 203 X 100, 254 X 102 X 22.3, 254 X 102 X 25.3, 254 X 102 X 28.4, 254 X 146 X 32.7, 254 X 146 X 38.5, 254 X 146 X 44.8, 254 X 254 X 73, 254 X 254 X 80, 254 X 254 X 89, 254 X 254 X 101, 254 X 254 X 115, 254 X 254 X 131, 254 X 254 X 149, 254 X 254 X 167, 305 X 102 X 21, 305 X 102 X 23.8, 305 X 102 X 28.3, 305 X 102 X 32.7, 305 X 165 X 38.7, 305 X 165 X 44.5, 305 X 165 X 52, 305 X 203 X 60, 305 X 203 X 67, 305 X 203 X 74, 305 X 305 X 97, 305 X 305 X 107, 305 X 305 X 117, 305 X 305 X 129, 305 X 305 X 143, 305 X 305 X 158, 305 X 305 X 179, 305 X 305 X 202, 305 X 305 X 226, 305 X 305 X 253, 305 X 305 X 283, 356 X 127 X 32.9, 356 X 127 X 39, 356 X 171 X 44, 356 X 171 X 51, 356 X 171 X 57.8, 356 X 254 X 91, 356 X 254 X 101, 356 X 254 X 110, 356 X 254 X 122, 356 X 368 X 134, 356 X 368 X 147, 356 X 368 X 162, 356 X 368 X 179, 356 X 368 X 196, 356 X 406 X 216, 356 X 406 X 237, 406 X 140 X 38.8, 406 X 140 X 46.1, 406 X 178 X 53, 406 X 178 X 60, 406 X 178 X 67, 406 X 178 X 75, 406 X 178 X 85, 457 X 152 X 52, 457 X 152 X 60, 457 X 152 X 68, 457 X 191 X 74, 457 X 191 X 82, 457 X 191 X 89, 457 X 191 X 97, 457 X 191 X 106, 533 X 165 X 66, 533 X 312 X 150, 533 X 312 X 165, 533 X 312 X 182, 533 X 312 X 196, 533 X 312 X 219, 533 X 165 X 74, 533 X 165 X 85, 533 X 210 X 92, 533 X 210 X 101, 533	W-SHAPES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR
---	---	----------------------	-----	---	----------	--

				X 210 X 109, 533 X 210 X 123, 533 X 210 X 138, 603 X 179 X 92, 610 X 178 X 82, 610 X 178 X 92, 610 X 229 X 101, 610 X 229 X 113, 610 X 229 X 125, 610 X 229 X 140, 610 X 229 X 153, 610 X 324 X 155, 610 X 324 X 174, 610 X 324 X 195, 610 X 324 X 217, 610 X 324 X 241, 686 X 254 X 125, 686 X 254 X 140, 686 X 254 X 152, 686 X 254 X 170, 686 X 254 X 192, 762 X 267 X 134, 762 X 267 X 147, 762 X 267 X 161, 762 X 267 X 173, 762 X 267 X 185, 762 X 267 X 196, 762 X 267 X 220, 838 X 292 X 176, 838 X 292 X 193, 838 X 292 X 210, 838 X 292 X 226, 838 X 292 X 251		
--	--	--	--	--	--	--

6	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 102 X 102 X 19.3, 127 X 127 X 23.8, 127 X 127 X 28.1, 152 X 102 X 13.5, 152 X 102 X 18, 152 X 102 X 24, 152 X 152 X 22.5, 152 X 152 X 29.8,152 X 152 X 37.1,203 X 102 X 19.3, 203 X 102 X 22.5, 203 X 133 X 26.6, 203 X 133 X 31.3, 203 X 203 X 46.1, 203 X 203 X 52, 203 X 203 X 59, 203 X 203 X 71, 203 X 203 X 86, 203 X 203 X 100, 254 X 102 X 22.3, 254 X 102 X 25.3, 254 X 102 X 28.4, 254 X 146 X 32.7, 254 X 146 X 38.5, 254 X 146 X 44.8, 254 X 254 X 73, 254 X 254 X 80, 254 X 254 X 89, 254 X 254 X 101, 254 X 254 X 115, 254 X 254 X 131, 254 X 254 X 149, 254 X 254 X 167, 305 X 102 X 21, 305 X 102 X 23.8, 305 X 102 X 28.3, 305 X 102 X 32.7, 305 X 165 X 38.7, 305 X 165 X 44.5, 305 X 165 X 52, 305 X 203 X 60, 305 X 203 X 67, 305 X 203 X 74, 305 X 305 X 97, 305 X 305 X 107, 305 X 305 X 117,305 X 305 X 129, 305 X 305 X 143, 305 X 305 X 158, 305 X 305 X 179, 305 X 305 X 202, 305 X 305 X 226, 305 X 305 X 253, 305 X 305 X 283, 356 X 127 X 32.9, 356 X 127 X 39, 356 X 171 X 44, 356 X 171 X 51, 356 X 171 X 57.8, 356 X 254 X 91, 356 X 254 X 101, 356 X 254 X 110, 356 X 254 X 122, 356 X 368 X 134, 356 X 368 X 147, 356 X 368 X 162, 356 X 368 X 179, 356 X 368 X 196, 356 X 406 X 216, 356 X 406 X 237,406 X 140 X 38.8, 406 X 140 X 46.1, 406 X 178 X 53, 406 X 178 X 60, 406 X 178 X 67, 406 X 178 X 75, 406 X 178 X 85,457 X 152 X 52, 457 X 152 X 60,457 X 152 X 68, 457 X 191 X 74, 457 X 191 X 82, 457 X 191 X 89,457 X 191 X 97, 457 X 191 X 106,533 X 165 X 66, 533 X 312 X 150, 533 X 312 X 165, 533 X 312 X 182, 533 X 312 X 196, 533 X 312 X 219, 533 X 165 X 74, 533 X 165 X 85, 533 X 210 X 92, 533 X 210 X 101, 533	W-SHAPES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0, J2; DELIVERY CONDITION = +AR
---	---	----------------------	-----	---	----------	---

				X 210 X 109, 533 X 210 X 123, 533 X 210 X 138, 603 X 179 X 92, 610 X 178 X 82, 610 X 178 X 92, 610 X 229 X 101, 610 X 229 X 113, 610 X 229 X 125, 610 X 229 X 140, 610 X 229 X 153, 610 X 324 X 155, 610 X 324 X 174, 610 X 324 X 195, 610 X 324 X 217, 610 X 324 X 241, 686 X 254 X 125, 686 X 254 X 140, 686 X 254 X 152, 686 X 254 X 170, 686 X 254 X 192, 762 X 267 X 134, 762 X 267 X 147, 762 X 267 X 161, 762 X 267 X 173, 762 X 267 X 185, 762 X 267 X 196, 762 X 267 X 220, 838 X 292 X 176, 838 X 292 X 193, 838 X 292 X 210, 838 X 292 X 226, 838 X 292 X 251		
--	--	--	--	--	--	--



7	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 102 X 102 X 19.3, 127 X 127 X 23.8, 127 X 127 X 28.1, 152 X 102 X 13.5, 152 X 102 X 18, 152 X 102 X 24, 152 X 152 X 22.5, 152 X 152 X 29.8,152 X 152 X 37.1,203 X 102 X 19.3, 203 X 102 X 22.5, 203 X 133 X 26.6, 203 X 133 X 31.3, 203 X 203 X 46.1, 203 X 203 X 52, 203 X 203 X 59, 203 X 203 X 71, 203 X 203 X 86, 203 X 203 X 100, 254 X 102 X 22.3, 254 X 102 X 25.3, 254 X 102 X 28.4, 254 X 146 X 32.7, 254 X 146 X 38.5, 254 X 146 X 44.8, 254 X 254 X 73, 254 X 254 X 80, 254 X 254 X 89, 254 X 254 X 101, 254 X 254 X 115, 254 X 254 X 131, 254 X 254 X 149, 254 X 254 X 167, 305 X 102 X 21, 305 X 102 X 23.8, 305 X 102 X 28.3, 305 X 102 X 32.7, 305 X 165 X 38.7, 305 X 165 X 44.5, 305 X 165 X 52, 305 X 203 X 60, 305 X 203 X 67, 305 X 203 X 74, 305 X 305 X 97, 305 X 305 X 107, 305 X 305 X 117,305 X 305 X 129, 305 X 305 X 143, 305 X 305 X 158, 305 X 305 X 179, 305 X 305 X 202, 305 X 305 X 226, 305 X 305 X 253, 305 X 305 X 283, 356 X 127 X 32.9, 356 X 127 X 39, 356 X 171 X 44, 356 X 171 X 51, 356 X 171 X 57.8, 356 X 254 X 91, 356 X 254 X 101, 356 X 254 X 110, 356 X 254 X 122, 356 X 368 X 134, 356 X 368 X 147, 356 X 368 X 162, 356 X 368 X 179, 356 X 368 X 196, 356 X 406 X 216, 356 X 406 X 237,406 X 140 X 38.8, 406 X 140 X 46.1, 406 X 178 X 53, 406 X 178 X 60, 406 X 178 X 67, 406 X 178 X 75, 406 X 178 X 85,457 X 152 X 52, 457 X 152 X 60,457 X 152 X 68, 457 X 191 X 74, 457 X 191 X 82, 457 X 191 X 89,457 X 191 X 97, 457 X 191 X 106,533 X 165 X 66, 533 X 312 X 150, 533 X 312 X 165, 533 X 312 X 182, 533 X 312 X 196, 533 X 312 X 219, 533 X 165 X 74, 533 X 165 X 85, 533 X 210 X 92, 533 X 210 X 101, 533	W-SHAPES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION= JR,J0,J2; DELIVERY CONDITION = +AR
---	---	----------------------	-----	---	----------	---

				<p>X 210 X 109, 533 X 210 X 123, 533 X 210 X 138, 603 X 179 X 92, 610 X 178 X 82, 610 X 178 X 92, 610 X 229 X 101, 610 X 229 X 113, 610 X 229 X 125, 610 X 229 X 140, 610 X 229 X 153, 610 X 324 X 155, 610 X 324 X 174, 610 X 324 X 195, 610 X 324 X 217, 610 X 324 X 241, 686 X 254 X 125, 686 X 254 X 140, 686 X 254 X 152, 686 X 254 X 170, 686 X 254 X 192, 762 X 267 X 134, 762 X 267 X 147, 762 X 267 X 161, 762 X 267 X 173, 762 X 267 X 185, 762 X 267 X 196, 762 X 267 X 220, 838 X 292 X 176, 838 X 292 X 193, 838 X 292 X 210, 838 X 292 X 226, 838 X 292 X 251</p>		
8	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	<p>DESIGNATION (MM X MM X KG/M)  203 X 203 X 53, 254 X 254 X 62, 254 X 254 X 85, 305 X 305 X 79, 305 X 305 X 93, 305 X 305 X 110, 305 X 305 X 125, 356 X 368 X 108, 356 X 368 X 132, 356 X 368 X 152, 356 X 368 X 174</p>	H-PILES	<p>STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION= JR,J0,J2; DELIVERY CONDITION = +AR</p>

9	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION ((MM X MM X KG/M) 100 X 100 X 16.9, 100 X 100 X 17.2, 125 X 125 X 23.8, 125 X 125 X 23.6, 150 X 75 X 14, 150 X 100 X 20.7, 150 X 100 X 21.1, 150 X 150 X 31.1, 150 X 150 X 31.5, 175 X 175 X 40.2, 175 X 175 X 40.4, 194 X 150 X 29.9, 194 X 150 X 30.6, 198 X 99 X 17.8, 198 X 99 X 18.2, 200 X 100 X 17.8, 200 X 100 X 18.2, 200 X 100 X 20.9, 200 X 100 X 21.3, 200 X 150 X 29.9, 200 X 150 X 30.6, 200 X 200 X 49.9, 200 X 200 X 56.2, 200 X 200 X 65.7, 200 X 204 X 56.2, 208 X 202 X 65.7, 244 X 175 X 43.6,244 X 175 X 44.1, 244 X 252 X 64.4,248 X 124 X 25.1, 248 X 124 X 25.7, 248 X 249 X 66.5, 250 X 125 X 25.1,250 X 125 X 25.7, 250 X 125 X 29, 250 X 125 X 29.6, 250 X 175 X 43.6, 250 X 175 X 44.1, 250 X 250 X 64.4, 250 X 250 X 66.5, 250 X 250 X 71.8, 250 X 250 X 72.4, 250 X 250 X 81.6, 250 X 250 X 82.2, 250 X 255 X 81.6, 250 X 255 X 82.2, 294 X 200 X 55.8, 294 X 200 X 56.8, 294 X 302 X 83.4, 294 X 302 X 84.5, 298 X 149 X 32, 298 X 201 X 65.4, 298 X 299 X 87, 300 X 150 X 32, 300 X 150 X 36.7, 300 X 200 X 55.8, 300 X 200 X 56.8, 300 X 200 X 65.4, 300 X 300 X 83.4, 300 X 300 X 84.5, 300 X 300 X 87, 300 X 300 X 93 300 X 300 X 94, 300 X 300 X 105, 300 X 300 X 106, 300 X 305 X 105, 300 X 305 X 106, 304 X 301 X 106, 336 X 249 X 69.2, 338 X 351 X 106, 340 X 250 X 78.1, 340 X 250 X 79.7, 344 X 348 X 113, 344 X 348 X 115, 344 X 354 X 131, 346 X 174 X 41.2, 346 X 174 X 41.4, 350 X 175 X 41.2, 350 X 175 X 41.4, 350 X 175 X 49.4, 350 X 175 X 49.6, 350 X 175 X 57.8, 350 X 250 X 69.2, 350 X 250 X 78.1, 350 X 250 X 79.7, 350 X 350 X 106, 350 X 350 X 113, 350 X 350 X 115, 350 X 350 X 131, 350 X 350 X 135, 350 X 350 X	H-BEAMS	STRUCTURAL STEEL = S275,S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
---	---	----------------------	-----	--	---------	---

				<p>137, 350 X 350 X 156, 350 X 357 X 156, 354 X 176 X 57.8, 386 X 299 X 94.3, 388 X 402 X 140, 390 X 300 X 105, 390 X 300 X 107, 394 X 398 X 147, 394 X 405 X 168, 396 X 199 X 56.1, 396 X 199 X 56.6, 400 X 200 X56.1, 400 X 200 X 56.6, 400 X 200 X 65.4, 400 X 200 X 66, 400 X 200 X 75.5, 400 X 300 X 94.3, 400 X 300 X 105, 400 X 300 X 107, 400 X 400 X 140, 400 X 400 X 147, 400 X 400 X 168, 400 X 400 X 172, 400 X 400 X 197,400 X 400 X 232,400 X 400 X 283, 400 X 408 X 197, 404 X 201 X 75.5,414 X 405 X 232, 434 X 299 X 106, 440 X 300 X 121, 440 X 300 X 124, 446 X 199 X 65.1, 446 X 199 X 66.2,446 X 302 X 145, 450 X 200 X 65.1,450 X 200 X 66.2, 446 X 302 X 145, 450 X 200 X 65.1, 450 X 200 X 66.2, 450 X 200 X 74.9, 450 X 200 X 76, 450 X 200 X 88.9, 450 X 300 X 106, 450 X 300 X 121, 450 X 300 X 124, 450 X 300 X 145, 456 X 201 X 88.9, 482 X 300 X 111, 482 X 300 X 114, 488 X 300 X 125, 488 X 300 X 128, 494 X 302 X 150, 496 X 199 X 77.9, 496 X 199 X 79.5, 500 X 200 X 77.9, 500 X 200 X 79.5, 500 X 200 X 88.2, 500 X 200 X 89.6, 500 X 200 X 102, 500 X 200 X 103, 506 X 201 X 102, 506 X 201 X 103, 500 X 300 X 111, 500 X 300 X 114, 500 X 300 X 125, 500 X 300 X 128, 500 X 300 X 150, 582 X 300 X 133, 582 X 300 X 137, 588 X 300 X 147, 588 X 300 X 151, 594 X 302 X 170, 594 X 302 X 175, 596 X 199 X 92.5, 596 X 199 X 94.6, 600 X 200 X 92.5, 600 X 200 X 94.6, 600 X 200 X 103, 600 X 200 X 106, 600 X 200 X 118, 600 X 200 X 120, 600 X 200 X 134,600 X 300 X 133, 600 X 300 X 137, 600 X 300 X 147, 600 X 300 X 151, 600 X 300 X 170,600 X 300 X 175, 606 X 201 X 118, 606 X 201 X 120,612 X 202</p>		
--	--	--	--	--	--	--

				X 134,692 X 300 X 163,692 X 300 X 166,700 X 300 X 163,700 X 300 X 166, 700 X 300 X 182,700 X 300 X 185,792 X 300 X 188,792 X 300 X 191,800 X 300 X 188,800 X 300 X 191,800 X 300 X 207,800 X 300 X 210,890 X 229 X 210,890 X 299 X 213,900 X 300 X 210,900 X 300 X 213,900 X 300 X 240,900 X 300 X 243,900 X 300 X 283,900 X 300 X 286,912 X 302 X 283,912 X 302 X 286		
--	--	--	--	--	--	--

10	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION ((MM X MM X KG/M) 100 X 100 X 16.9, 100 X 100 X 17.2, 125 X 125 X 23.8, 125 X 125 X 23.6, 150 X 75 X 14, 150 X 100 X 20.7, 150 X 100 X 21.1, 150 X 150 X 31.1, 150 X 150 X 31.5, 175 X 175 X 40.2, 175 X 175 X 40.4, 194 X 150 X 29.9, 194 X 150 X 30.6, 198 X 99 X 17.8, 198 X 99 X 18.2, 200 X 100 X 17.8, 200 X 100 X 18.2, 200 X 100 X 20.9, 200 X 100 X 21.3, 200 X 150 X 29.9, 200 X 150 X 30.6, 200 X 200 X 49.9, 200 X 200 X 56.2, 200 X 200 X 65.7, 200 X 204 X 56.2, 208 X 202 X 65.7, 244 X 175 X 43.6,244 X 175 X 44.1, 244 X 252 X 64.4,248 X 124 X 25.1, 248 X 124 X 25.7, 248 X 249 X 66.5, 250 X 125 X 25.1,250 X 125 X 25.7, 250 X 125 X 29, 250 X 125 X 29.6, 250 X 175 X 43.6, 250 X 175 X 44.1, 250 X 250 X 64.4, 250 X 250 X 66.5, 250 X 250 X 71.8, 250 X 250 X 72.4, 250 X 250 X 81.6, 250 X 250 X 82.2, 250 X 255 X 81.6, 250 X 255 X 82.2, 294 X 200 X 55.8, 294 X 200 X 56.8, 294 X 302 X 83.4, 294 X 302 X 84.5, 298 X 149 X 32, 298 X 201 X 65.4, 298 X 299 X 87, 300 X 150 X 32, 300 X 150 X 36.7, 300 X 200 X 55.8, 300 X 200 X 56.8, 300 X 200 X 65.4, 300 X 300 X 83.4, 300 X 300 X 84.5, 300 X 300 X 87, 300 X 300 X 93 300 X 300 X 94, 300 X 300 X 105, 300 X 300 X 106, 300 X 305 X 105, 300 X 305 X 106, 304 X 301 X 106, 336 X 249 X 69.2, 338 X 351 X 106, 340 X 250 X 78.1, 340 X 250 X 79.7, 344 X 348 X 113, 344 X 348 X 115, 344 X 354 X 131, 346 X 174 X 41.2, 346 X 174 X 41.4, 350 X 175 X 41.2, 350 X 175 X 41.4, 350 X 175 X 49.4, 350 X 175 X 49.6, 350 X 175 X 57.8, 350 X 250 X 69.2, 350 X 250 X 78.1, 350 X 250 X 79.7, 350 X 350 X 106, 350 X 350 X 113, 350 X 350 X 115, 350 X 350 X 131, 350 X 350 X 135, 350 X 350 X	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	--	---------	--

				<p>137, 350 X 350 X 156, 350 X 357 X 156, 354 X 176 X 57.8, 386 X 299 X 94.3, 388 X 402 X 140, 390 X 300 X 105, 390 X 300 X 107, 394 X 398 X 147, 394 X 405 X 168, 396 X 199 X 56.1, 396 X 199 X 56.6, 400 X 200 X56.1, 400 X 200 X 56.6, 400 X 200 X 65.4, 400 X 200 X 66, 400 X 200 X 75.5, 400 X 300 X 94.3, 400 X 300 X 105, 400 X 300 X 107, 400 X 400 X 140, 400 X 400 X 147, 400 X 400 X 168, 400 X 400 X 172, 400 X 400 X 197,400 X 400 X 232,400 X 400 X 283, 400 X 408 X 197, 404 X 201 X 75.5,414 X 405 X 232, 434 X 299 X 106, 440 X 300 X 121, 440 X 300 X 124, 446 X 199 X 65.1, 446 X 199 X 66.2,446 X 302 X 145, 450 X 200 X 65.1,450 X 200 X 66.2, 446 X 302 X 145, 450 X 200 X 65.1, 450 X 200 X 66.2, 450 X 200 X 74.9, 450 X 200 X 76, 450 X 200 X 88.9, 450 X 300 X 106, 450 X 300 X 121, 450 X 300 X 124, 450 X 300 X 145, 456 X 201 X 88.9, 482 X 300 X 111, 482 X 300 X 114, 488 X 300 X 125, 488 X 300 X 128, 494 X 302 X 150, 496 X 199 X 77.9, 496 X 199 X 79.5, 500 X 200 X 77.9, 500 X 200 X 79.5, 500 X 200 X 88.2, 500 X 200 X 89.6, 500 X 200 X 102, 500 X 200 X 103, 506 X 201 X 102, 506 X 201 X 103, 500 X 300 X 111, 500 X 300 X 114, 500 X 300 X 125, 500 X 300 X 128, 500 X 300 X 150, 582 X 300 X 133, 582 X 300 X 137, 588 X 300 X 147, 588 X 300 X 151, 594 X 302 X 170, 594 X 302 X 175, 596 X 199 X 92.5, 596 X 199 X 94.6, 600 X 200 X 92.5, 600 X 200 X 94.6, 600 X 200 X 103, 600 X 200 X 106, 600 X 200 X 118, 600 X 200 X 120, 600 X 200 X 134,600 X 300 X 133, 600 X 300 X 137, 600 X 300 X 147, 600 X 300 X 151, 600 X 300 X 170,600 X 300 X 175, 606 X 201 X 118, 606 X 201 X 120,612 X 202</p>		
--	--	--	--	--	--	--

				X 134,692 X 300 X 163,692 X 300 X 166,700 X 300 X 163,700 X 300 X 166, 700 X 300 X 182,700 X 300 X 185,792 X 300 X 188,792 X 300 X 191,800 X 300 X 188,800 X 300 X 191,800 X 300 X 207,800 X 300 X 210,890 X 229 X 210,890 X 299 X 213,900 X 300 X 210,900 X 300 X 213,900 X 300 X 240,900 X 300 X 243,900 X 300 X 283,900 X 300 X 286,912 X 302 X 283,912 X 302 X 286		
--	--	--	--	--	--	--



11	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION ((MM X MM X KG/M) 100 X 100 X 16.9, 100 X 100 X 17.2, 125 X 125 X 23.8, 125 X 125 X 23.6, 150 X 75 X 14, 150 X 100 X 20.7, 150 X 100 X 21.1, 150 X 150 X 31.1, 150 X 150 X 31.5, 175 X 175 X 40.2, 175 X 175 X 40.4, 194 X 150 X 29.9, 194 X 150 X 30.6, 198 X 99 X 17.8, 198 X 99 X 18.2, 200 X 100 X 17.8, 200 X 100 X 18.2, 200 X 100 X 20.9, 200 X 100 X 21.3, 200 X 150 X 29.9, 200 X 150 X 30.6, 200 X 200 X 49.9, 200 X 200 X 56.2, 200 X 200 X 65.7, 200 X 204 X 56.2, 208 X 202 X 65.7, 244 X 175 X 43.6,244 X 175 X 44.1, 244 X 252 X 64.4,248 X 124 X 25.1, 248 X 124 X 25.7, 248 X 249 X 66.5, 250 X 125 X 25.1,250 X 125 X 25.7, 250 X 125 X 29, 250 X 125 X 29.6, 250 X 175 X 43.6, 250 X 175 X 44.1, 250 X 250 X 64.4, 250 X 250 X 66.5, 250 X 250 X 71.8, 250 X 250 X 72.4, 250 X 250 X 81.6, 250 X 250 X 82.2, 250 X 255 X 81.6, 250 X 255 X 82.2, 294 X 200 X 55.8, 294 X 200 X 56.8, 294 X 302 X 83.4, 294 X 302 X 84.5, 298 X 149 X 32, 298 X 201 X 65.4, 298 X 299 X 87, 300 X 150 X 32, 300 X 150 X 36.7, 300 X 200 X 55.8, 300 X 200 X 56.8, 300 X 200 X 65.4, 300 X 300 X 83.4, 300 X 300 X 84.5, 300 X 300 X 87, 300 X 300 X 93 300 X 300 X 94, 300 X 300 X 105, 300 X 300 X 106, 300 X 305 X 105, 300 X 305 X 106, 304 X 301 X 106, 336 X 249 X 69.2, 338 X 351 X 106, 340 X 250 X 78.1, 340 X 250 X 79.7, 344 X 348 X 113, 344 X 348 X 115, 344 X 354 X 131, 346 X 174 X 41.2, 346 X 174 X 41.4, 350 X 175 X 41.2, 350 X 175 X 41.4, 350 X 175 X 49.4, 350 X 175 X 49.6, 350 X 175 X 57.8, 350 X 250 X 69.2, 350 X 250 X 78.1, 350 X 250 X 79.7, 350 X 350 X 106, 350 X 350 X 113, 350 X 350 X 115, 350 X 350 X 131, 350 X 350 X 135, 350 X 350 X	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	--	---------	--

				137, 350 X 350 X 156, 350 X 357 X 156, 354 X 176 X 57.8, 386 X 299 X 94.3, 388 X 402 X 140, 390 X 300 X 105, 390 X 300 X 107, 394 X 398 X 147, 394 X 405 X 168, 396 X 199 X 56.1, 396 X 199 X 56.6, 400 X 200 X56.1, 400 X 200 X 56.6, 400 X 200 X 65.4, 400 X 200 X 66, 400 X 200 X 75.5, 400 X 300 X 94.3, 400 X 300 X 105, 400 X 300 X 107, 400 X 400 X 140, 400 X 400 X 147, 400 X 400 X 168, 400 X 400 X 172, 400 X 400 X 197,400 X 400 X 232,400 X 400 X 283, 400 X 408 X 197, 404 X 201 X 75.5,414 X 405 X 232, 434 X 299 X 106, 440 X 300 X 121, 440 X 300 X 124, 446 X 199 X 65.1, 446 X 199 X 66.2,446 X 302 X 145, 450 X 200 X 65.1,450 X 200 X 66.2, 446 X 302 X 145, 450 X 200 X 65.1, 450 X 200 X 66.2, 450 X 200 X 74.9, 450 X 200 X 76, 450 X 200 X 88.9, 450 X 300 X 106, 450 X 300 X 121, 450 X 300 X 124, 450 X 300 X 145, 456 X 201 X 88.9, 482 X 300 X 111, 482 X 300 X 114, 488 X 300 X 125, 488 X 300 X 128, 494 X 302 X 150, 496 X 199 X 77.9, 496 X 199 X 79.5, 500 X 200 X 77.9, 500 X 200 X 79.5, 500 X 200 X 88.2, 500 X 200 X 89.6, 500 X 200 X 102, 500 X 200 X 103, 506 X 201 X 102, 506 X 201 X 103, 500 X 300 X 111, 500 X 300 X 114, 500 X 300 X 125, 500 X 300 X 128, 500 X 300 X 150, 582 X 300 X 133, 582 X 300 X 137, 588 X 300 X 147, 588 X 300 X 151, 594 X 302 X 170, 594 X 302 X 175, 596 X 199 X 92.5, 596 X 199 X 94.6, 600 X 200 X 92.5, 600 X 200 X 94.6, 600 X 200 X 103, 600 X 200 X 106, 600 X 200 X 118, 600 X 200 X 120, 600 X 200 X 134,600 X 300 X 133, 600 X 300 X 137, 600 X 300 X 147, 600 X 300 X 151, 600 X 300 X 170,600 X 300 X 175, 606 X 201 X 118, 606 X 201 X 120,612 X 202		
--	--	--	--	---	--	--

				X 134,692 X 300 X 163,692 X 300 X 166,700 X 300 X 163,700 X 300 X 166, 700 X 300 X 182,700 X 300 X 185,792 X 300 X 188,792 X 300 X 191,800 X 300 X 188,800 X 300 X 191,800 X 300 X 207,800 X 300 X 210,890 X 229 X 210,890 X 299 X 213,900 X 300 X 210,900 X 300 X 213,900 X 300 X 240,900 X 300 X 243,900 X 300 X 283,900 X 300 X 286,912 X 302 X 283,912 X 302 X 286		
--	--	--	--	--	--	--

12	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X MM X MM) 100 X 100 X 5 X 7, 125 X 125 X 6.5 X 9, 150 X 75 X 5 X 7, 148 X 100 X 6 X 9, 150 X 100 X 6 X 9,150 X 150 X 7 X 10,175 X 175 X 7.5 X 11, 198 X 99 X 4.5 X 7, 200 X 100 X 4.5 X 7, 200 X 100 X 5.5 X 8, 194 X 150 X 6 X 9, 200 X 150 X 6 X 9, 200 X 200 X 8 X 12, 200 X 200 X 12 X 12, 200 X 200 X 10 X 16, 200 X 204 X 12 X 12, 208 X 202 X 10 X 16, 244 X 175 X 7 X 11, 244 X 252 X 11 X 11, 248 X 124 X 5 X 8, 248 X 249 X 8 X 13, 250 X 125 X 5 X 8, 250 X 125 X 6 X 9, 250 X 175 X 7 X 11, 250 X 250 X 11 X 11, 250 X 250 X 8 X 13, 250 X 250 X 9 X 14, 250 X 250 X 14 X 14, 250 X 255 X 14 X 14, 294 X 200 X 8 X 12, 294 X 302 X 12 X 12, 298 X 149 X 5.5 X 8, 298 X 201 X 9 X 14, 298 X 299 X 9 X 14, 300 X 150 X 5.5 X 8, 300 X 150 X 6.5 X 9, 300 X 200 X 8 X 12, 300 X 200 X 9 X 14, 300 X 300 X 9 X 14, 300 X 300 X 10 X 15, 300 X 300 X 11 X 17, 300 X 300 X 12 X 12, 300 X 300 X 15 X 15, 300 X 305 X 15 X 15, 304 X 301 X 11 X 17, 336 X 249 X 8 X 12, 338 X 351 X 13 X 13, 340 X 250 X 9 X 14, 344 X 348 X 10 X 16, 344 X 354 X 16 X 16, 346 X 174 X 6 X 9, 350 X 175 X 6 X 9, 350 X 175 X 7 X 11, 350 X 175 X 8 X 13, 350 X 250 X 8 X 12, 350 X 250 X 9 X 14, 350 X 350 X 10 X 16, 350 X 350 X 12 X 19, 350 X 350 X 13 X 13, 350 X 350 X 16 X 16, 350 X 350 X 19 X 19, 350 X 357 X 19 X 19, 354 X 176 X 8 X 13, 386 X 299 X 9 X 14,388 X 402 X 15 X 15, 390 X 300 X 10 X 16,394 X 398 X 11 X 18,394 X 405 X 18 X 18, 396 X 199 X 7 X 11, 400 X 200 X 7 X 11, 400 X 200 X 8 X 13, 400 X 200 X 9 X 15, 400 X 300 X 9 X 14, 400 X 300 X 10 X 16, 400 X 400 X 11 X 18, 400 X 400 X 13 X 21, 400 X 400 X 15 X 15, 400 X 400 X 18 X 18, 400 X 400 X 18 X 28, 400 X 400 X 21 X 21, 400 X 408 X 21 X	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	--	---------	--

				21, 404 X 201 X 9 X 15, 414 X 405 X 18 X 28, 434 X 299 X 10 X 15, 440 X 300 X 11 X 18, 446 X 199 X 8 X 12, 446 X 302 X 13 X 21, 450 X 200 X 8 X 12, 450 X 200 X 9 X 14, 450 X 200 X 10 X 17, 450 X 300 X 10 X 15, 450 X 300 X 11 X 18, 450 X 300 X 13 X 21, 456 X 201 X 10 X 17, 482 X 300 X 11 X 15, 488 X 300 X 11 X 18, 494 X 302 X 13 X 21, 496 X 199 X 9 X 14, 500 X 200 X 9 X 14, 500 X 200 X 10 X 16, 500 X 200 X 11 X 19, 500 X 300 X 11 X 15, 500 X 300 X 11 X 18, 500 X 300 X 13 X 21, 506 X 201 X 11 X 19, 582 X 300 X 12 X 17, 588 X 300 X 12 X 20, 594 X 302 X 14 X 23, 596 X 199 X 10 X 15, 600 X 200 X 10 X 15, 600 X 200 X 11 X 17, 600 X 200 X 12 X 20, 600 X 200 X 13 X 23, 600 X 300 X 12 X 17, 600 X 300 X 12 X 20, 600 X 300 X 14 X 23, 606 X 201 X 12 X 20, 612 X 202 X 13 X 23, 692 X 300 X 13 X 20, 700 X 300 X 13 X 20, 700 X 300 X 13 X 24, 792 X 300 X 14 X 22, 800 X 300 X 14 X 22, 800 X 300 X 14 X 26, 890 X 299 X 15 X 23, 900 X 300 X 15 X 23, 900 X 300 X 16 X 28, 900 X 300 X 18 X 34, 912 X 302 X 18 X 34		
--	--	--	--	--	--	--

13	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X MM X MM) 100 X 100 X 5 X 7, 125 X 125 X 6.5 X 9, 150 X 75 X 5 X 7, 148 X 100 X 6 X 9, 150 X 100 X 6 X 9, 150 X 150 X 7 X 10, 175 X 175 X 7.5 X 11, 198 X 99 X 4.5 X 7, 200 X 100 X 4.5 X 7, 200 X 100 X 5.5 X 8, 194 X 150 X 6 X 9, 200 X 150 X 6 X 9, 200 X 200 X 8 X 12, 200 X 200 X 12 X 12, 200 X 200 X 10 X 16, 200 X 204 X 12 X 12, 208 X 202 X 10 X 16, 244 X 175 X 7 X 11, 244 X 252 X 11 X 11, 248 X 124 X 5 X 8, 248 X 249 X 8 X 13, 250 X 125 X 5 X 8, 250 X 125 X 6 X 9, 250 X 175 X 7 X 11, 250 X 250 X 11 X 11, 250 X 250 X 8 X 13, 250 X 250 X 9 X 14, 250 X 250 X 14 X 14, 250 X 255 X 14 X 14, 294 X 200 X 8 X 12, 294 X 302 X 12 X 12, 298 X 149 X 5.5 X 8, 298 X 201 X 9 X 14, 298 X 299 X 9 X 14, 300 X 150 X 5.5 X 8, 300 X 150 X 6.5 X 9, 300 X 200 X 8 X 12, 300 X 200 X 9 X 14, 300 X 300 X 9 X 14, 300 X 300 X 10 X 15, 300 X 300 X 11 X 17, 300 X 300 X 12 X 12, 300 X 300 X 15 X 15, 300 X 305 X 15 X 15, 304 X 301 X 11 X 17, 336 X 249 X 8 X 12, 338 X 351 X 13 X 13, 340 X 250 X 9 X 14, 344 X 348 X 10 X 16, 344 X 354 X 16 X 16, 346 X 174 X 6 X 9, 350 X 175 X 6 X 9, 350 X 175 X 7 X 11, 350 X 175 X 8 X 13, 350 X 250 X 8 X 12, 350 X 250 X 9 X 14, 350 X 350 X 10 X 16, 350 X 350 X 12 X 19, 350 X 350 X 13 X 13, 350 X 350 X 16 X 16, 350 X 350 X 19 X 19, 350 X 357 X 19 X 19, 354 X 176 X 8 X 13, 386 X 299 X 9 X 14, 388 X 402 X 15 X 15, 390 X 300 X 10 X 16, 394 X 398 X 11 X 18, 394 X 405 X 18 X 18, 396 X 199 X 7 X 11, 400 X 200 X 7 X 11, 400 X 200 X 8 X 13, 400 X 200 X 9 X 15, 400 X 300 X 9 X 14, 400 X 300 X 10 X 16, 400 X 400 X 11 X 18, 400 X 400 X 13 X 21, 400 X 400 X 15 X 15, 400 X 400 X 18 X 18, 400 X 400 X 18 X 28, 400 X 400 X 21 X 21, 400 X 408 X 21 X	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	---	---------	--

				21, 404 X 201 X 9 X 15, 414 X 405 X 18 X 28, 434 X 299 X 10 X 15, 440 X 300 X 11 X 18, 446 X 199 X 8 X 12, 446 X 302 X 13 X 21, 450 X 200 X 8 X 12, 450 X 200 X 9 X 14, 450 X 200 X 10 X 17, 450 X 300 X 10 X 15, 450 X 300 X 11 X 18, 450 X 300 X 13 X 21, 456 X 201 X 10 X 17, 482 X 300 X 11 X 15, 488 X 300 X 11 X 18, 494 X 302 X 13 X 21, 496 X 199 X 9 X 14, 500 X 200 X 9 X 14, 500 X 200 X 10 X 16, 500 X 200 X 11 X 19, 500 X 300 X 11 X 15, 500 X 300 X 11 X 18, 500 X 300 X 13 X 21, 506 X 201 X 11 X 19, 582 X 300 X 12 X 17, 588 X 300 X 12 X 20, 594 X 302 X 14 X 23, 596 X 199 X 10 X 15, 600 X 200 X 10 X 15, 600 X 200 X 11 X 17, 600 X 200 X 12 X 20, 600 X 200 X 13 X 23, 600 X 300 X 12 X 17, 600 X 300 X 12 X 20, 600 X 300 X 14 X 23, 606 X 201 X 12 X 20, 612 X 202 X 13 X 23, 692 X 300 X 13 X 20, 700 X 300 X 13 X 20, 700 X 300 X 13 X 24, 792 X 300 X 14 X 22, 800 X 300 X 14 X 22, 800 X 300 X 14 X 26, 890 X 299 X 15 X 23, 900 X 300 X 15 X 23, 900 X 300 X 16 X 28, 900 X 300 X 18 X 34, 912 X 302 X 18 X 34		
--	--	--	--	--	--	--

14	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X MM X MM) 100 X 100 X 5 X 7, 125 X 125 X 6.5 X 9, 150 X 75 X 5 X 7, 148 X 100 X 6 X 9, 150 X 100 X 6 X 9,150 X 150 X 7 X 10,175 X 175 X 7.5 X 11, 198 X 99 X 4.5 X 7, 200 X 100 X 4.5 X 7, 200 X 100 X 5.5 X 8, 194 X 150 X 6 X 9, 200 X 150 X 6 X 9, 200 X 200 X 8 X 12, 200 X 200 X 12 X 12, 200 X 200 X 10 X 16, 200 X 204 X 12 X 12, 208 X 202 X 10 X 16, 244 X 175 X 7 X 11, 244 X 252 X 11 X 11, 248 X 124 X 5 X 8, 248 X 249 X 8 X 13, 250 X 125 X 5 X 8, 250 X 125 X 6 X 9, 250 X 175 X 7 X 11, 250 X 250 X 11 X 11, 250 X 250 X 8 X 13, 250 X 250 X 9 X 14, 250 X 250 X 14 X 14, 250 X 255 X 14 X 14, 294 X 200 X 8 X 12, 294 X 302 X 12 X 12, 298 X 149 X 5.5 X 8, 298 X 201 X 9 X 14, 298 X 299 X 9 X 14, 300 X 150 X 5.5 X 8, 300 X 150 X 6.5 X 9, 300 X 200 X 8 X 12, 300 X 200 X 9 X 14, 300 X 300 X 9 X 14, 300 X 300 X 10 X 15, 300 X 300 X 11 X 17, 300 X 300 X 12 X 12, 300 X 300 X 15 X 15, 300 X 305 X 15 X 15, 304 X 301 X 11 X 17, 336 X 249 X 8 X 12, 338 X 351 X 13 X 13, 340 X 250 X 9 X 14, 344 X 348 X 10 X 16, 344 X 354 X 16 X 16, 346 X 174 X 6 X 9, 350 X 175 X 6 X 9, 350 X 175 X 7 X 11, 350 X 175 X 8 X 13, 350 X 250 X 8 X 12, 350 X 250 X 9 X 14, 350 X 350 X 10 X 16, 350 X 350 X 12 X 19, 350 X 350 X 13 X 13, 350 X 350 X 16 X 16, 350 X 350 X 19 X 19, 350 X 357 X 19 X 19, 354 X 176 X 8 X 13, 386 X 299 X 9 X 14,388 X 402 X 15 X 15, 390 X 300 X 10 X 16,394 X 398 X 11 X 18,394 X 405 X 18 X 18, 396 X 199 X 7 X 11, 400 X 200 X 7 X 11, 400 X 200 X 8 X 13, 400 X 200 X 9 X 15, 400 X 300 X 9 X 14, 400 X 300 X 10 X 16, 400 X 400 X 11 X 18, 400 X 400 X 13 X 21, 400 X 400 X 15 X 15, 400 X 400 X 18 X 18, 400 X 400 X 18 X 28, 400 X 400 X 21 X 21, 400 X 408 X 21 X	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	--	---------	--



				<p>21, 404 X 201 X 9 X 15, 414 X 405 X 18 X 28, 434 X 299 X 10 X 15, 440 X 300 X 11 X 18, 446 X 199 X 8 X 12, 446 X 302 X 13 X 21, 450 X 200 X 8 X 12, 450 X 200 X 9 X 14, 450 X 200 X 10 X 17, 450 X 300 X 10 X 15, 450 X 300 X 11 X 18, 450 X 300 X 13 X 21, 456 X 201 X 10 X 17, 482 X 300 X 11 X 15, 488 X 300 X 11 X 18, 494 X 302 X 13 X 21, 496 X 199 X 9 X 14, 500 X 200 X 9 X 14, 500 X 200 X 10 X 16, 500 X 200 X 11 X 19, 500 X 300 X 11 X 15, 500 X 300 X 11 X 18, 500 X 300 X 13 X 21, 506 X 201 X 11 X 19, 582 X 300 X 12 X 17, 588 X 300 X 12 X 20, 594 X 302 X 14 X 23, 596 X 199 X 10 X 15, 600 X 200 X 10 X 15, 600 X 200 X 11 X 17, 600 X 200 X 12 X 20, 600 X 200 X 13 X 23, 600 X 300 X 12 X 17, 600 X 300 X 12 X 20, 600 X 300 X 14 X 23, 606 X 201 X 12 X 20, 612 X 202 X 13 X 23, 692 X 300 X 13 X 20, 700 X 300 X 13 X 20, 700 X 300 X 13 X 24, 792 X 300 X 14 X 22, 800 X 300 X 14 X 22, 800 X 300 X 14 X 26, 890 X 299 X 15 X 23, 900 X 300 X 15 X 23, 900 X 300 X 16 X 28, 900 X 300 X 18 X 34, 912 X 302 X 18 X 34</p>		
15	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	<p>DESIGNATION (INCH X INCH X LB/FT)  6" X 6" X 16, 6" X 6" X 20, 6" X 6" X 25,  8" X 8" X 31, 8" X 8" X 35, 8" X 8" X 40,  8" X 8" X 48, 8" X 8" X 58, 10" X 10" X  49, 10" X 10" X 60, 10" X 10" X 72, 10"  X 10" X 89, 10" X 10" X 112, 12" X 12" X  65, 12" X 12" X 79, 12" X 12" X 92, 12"  X 12" X 106, 12" X 12" X 133, 12" X 12"  X 161, 12" X 12" X 190, 14" X 14 1/2 " X  87, 14" X 14 1/2 " X 103, 14" X 14 1/2 " X  119, 14" X 14 1/2 " X 136, 14" X 16" X  158</p>	UNIVERSAL COLUMNS (UC)	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR, J0, J2; DELIVERY CONDITION = +AR

16	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (INCH X INCH X LB/FT) 8" X 8" X 30, 8" X 8" X 36, 10" X 10" X 42, 10" X 10" X 48, 10" X 10" X 57, 12" X 12" X 53, 12" X 12" X 59, 12" X 12" X 64, 12" X 12" X 74, 12" X 12" X 85, 12" X 12" X 100, 12" X 12" X 125, 12" X 12" X 150, 14" X 14 ½" X 73, 14" X 14½" X 89, 14" X 14 ½" X 102, 14" X 14 ½" X 117	UNIVERSAL BEARING PILES (UBP)	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	---	-------------------------------	--

17	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (INCH X INCH X LB/FT) 4" X 4" X 13, 5" X 5" X 16, 5" X 5" X 19, 6" X 4" X 9, 6" X 4" X 12, 6" X 4" X 16, 6" X 6" X 15, 6" X 6" X 20, 6" X 6" X 25, 8" X 4" X 13, 8" X 4" X 15, 8" X 5 ¼" X 18, 8" X 5 ¼" X 21, 8" X 8" X 31, 8" X 8" X 35, 8" X 8" X 40, 8" X 8" X 48, 8" X 8" X 58, 8" X 8" X 67, 10" X 4" X 15, 10" X 4" X 17, 10" X 4" X 19, 10" X 5 ¾" X 22, 10" X 5 ¾" X 26, 10" X 5 ¾" X 30, 10" X 10" X 49, 10" X 10" X 54, 10" X 10" X 60, 10" X 10" X 68, 10" X 10" X 77, 10" X 10" X 88, 10" X 10" X 100, 10" X 10" X 112, 12" X 4" X 14, 12" X 4" X 16, 12" X 4" X 19, 12" X 4" X 22, 12" X 6 ½" X 26, 12" X 6 ½" X 30, 12" X 6 ½" X 35, 12" X 8" X 40, 12" X 8" X 45, 12" X 8" X 50, 12" X 12" X 65, 12" X 12" X 72, 12" X 12" X 79, 12" X 12" X 87, 12" X 12 " X 96, 12" X 12" X 106, 12" X 12" X 120, 12" X 12" X 136, 12" X 12" X 152, 12" X 12" X 170, 12" X 12" X 190, 14" X 5" X 22, 14" X 5" X 26, 14" X 6 ¾" X 30, 14" X 6 ¾" X 34, 14" X 6 ¾" X 38, 14" X 10" X 61, 14" X 10" X 68, 14" X 10" X 74, 14" X 10" X 82, 14" X 14 ½" X 90, 14" X 14 ½" X 99, 14" X 14 ½" X 109, 14" X 14 ½" X 120, 14" X 14 ½" X 132, 14" X 16" X 145, 14" X 16" X 159, 16" X 5 ½" X 26, 16" X 5 ½" X 31, 16" X 7" X 36, 16" X 7" X 40, 16" X 7" X 45, 16" X 7" X 50, 16" X 7" X 57, 18" X 6" X 35, 18" X 6" X 40, 18" X 6" X 46, 18" X 7 ½" X 50, 18" X 7 ½" X 55, 18" X 7 ½" X 60, 18" X 7 ½" X 65, 18" X 7 ½" X 71, 21" X 6 ½" X 44, 21" X 6 ½" X 50, 21" X 6 ½" X 57, 21" X 8 ¼" X 62, 21" X 8 ¼" X 68, 21" X 8 ¼" X 73, 21" X 8 ¼" X 83, 21" X 8 ¼" X 93, 24" X 7" X 55, 24" X 7" X 62, 24" X 9" X 68, 24" X 9" X 76, 24" X 9" X 84, 24" X 9" X 94, 24" X 9" X 103, 24" X 12 ¾" X 104, 24" X 12 ¾" X 117, 24" X 12 ¾" X 131, 24" X 12 ¾" X 146, 24" X 12 ¾" X 162, 27" X 10" X 84, 27" X 10" X 94, 27" X 10" X	W-SHAPES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	---	----------	--

				102, 27" X 10" X 114, 27" X 10" X 129, 30" X 10 ½" X 90, 30" X 10 ½" X 99, 30" X 10 ½" X 108, 30" X 10 ½" X 116, 30" X 10 ½" X 124, 30" X 10 ½" X 132, 30" X 10 ½" X 148, 33" X 11 ½" X 118, 33" X 11 ½" X 130, 33" X 11 ½" X 141, 33" X 11 ½" X 152, 33" X 11 ½" X 169		
--	--	--	--	---	--	--

18	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (INCH X INCH X LB/FT) 4" X 4" X 13, 5" X 5" X 16, 5" X 5" X 19, 6" X 4" X 9, 6" X 4" X 12, 6" X 4" X 16, 6" X 6" X 15, 6" X 6" X 20, 6" X 6" X 25, 8" X 4" X 13, 8" X 4" X 15, 8" X 5 ¼" X 18, 8" X 5 ¼" X 21, 8" X 8" X 31, 8" X 8" X 35, 8" X 8" X 40, 8" X 8" X 48, 8" X 8" X 58, 8" X 8" X 67, 10" X 4" X 15, 10" X 4" X 17, 10" X 4" X 19, 10" X 5 ¾" X 22, 10" X 5 ¾" X 26, 10" X 5 ¾" X 30, 10" X 10" X 49, 10" X 10" X 54, 10" X 10" X 60, 10" X 10" X 68, 10" X 10" X 77, 10" X 10" X 88, 10" X 10" X 100, 10" X 10" X 112, 12" X 4" X 14, 12" X 4" X 16, 12" X 4" X 19, 12" X 4" X 22, 12" X 6 ½" X 26, 12" X 6 ½" X 30, 12" X 6 ½" X 35, 12" X 8" X 40, 12" X 8" X 45, 12" X 8" X 50, 12" X 12" X 65, 12" X 12" X 72, 12" X 12" X 79, 12" X 12" X 87, 12" X 12 " X 96, 12" X 12" X 106, 12" X 12" X 120, 12" X 12" X 136, 12" X 12" X 152, 12" X 12" X 170, 12" X 12" X 190, 14" X 5" X 22, 14" X 5" X 26, 14" X 6 ¾" X 30, 14" X 6 ¾" X 34, 14" X 6 ¾" X 38, 14" X 10" X 61, 14" X 10" X 68, 14" X 10" X 74, 14" X 10" X 82, 14" X 14 ½" X 90, 14" X 14 ½" X 99, 14" X 14 ½" X 109, 14" X 14 ½" X 120, 14" X 14 ½" X 132, 14" X 16" X 145, 14" X 16" X 159, 16" X 5 ½" X 26, 16" X 5 ½" X 31, 16" X 7" X 36, 16" X 7" X 40, 16" X 7" X 45, 16" X 7" X 50, 16" X 7" X 57, 18" X 6" X 35, 18" X 6" X 40, 18" X 6" X 46, 18" X 7 ½" X 50, 18" X 7 ½" X 55, 18" X 7 ½" X 60, 18" X 7 ½" X 65, 18" X 7 ½" X 71, 21" X 6 ½" X 44, 21" X 6 ½" X 50, 21" X 6 ½" X 57, 21" X 8 ¼" X 62, 21" X 8 ¼" X 68, 21" X 8 ¼" X 73, 21" X 8 ¼" X 83, 21" X 8 ¼" X 93, 24" X 7" X 55, 24" X 7" X 62, 24" X 9" X 68, 24" X 9" X 76, 24" X 9" X 84, 24" X 9" X 94, 24" X 9" X 103, 24" X 12 ¾" X 104, 24" X 12 ¾" X 117, 24" X 12 ¾" X 131, 24" X 12 ¾" X 146, 24" X 12 ¾" X 162, 27" X 10" X 84, 27" X 10" X 94, 27" X 10" X	W-SHAPES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	---	----------------------	-----	---	----------	--

				102, 27" X 10" X 114, 27" X 10" X 129, 30" X 10 ½" X 90, 30" X 10 ½" X 99, 30" X 10 ½" X 108, 30" X 10 ½" X 116, 30" X 10 ½" X 124, 30" X 10 ½" X 132, 30" X 10 ½" X 148, 33" X 11 ½" X 118, 33" X 11 ½" X 130, 33" X 11 ½" X 141, 33" X 11 ½" X 152, 33" X 11 ½" X 169		
19	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (INCH X INCH X LB/FT) 8" X 8" X 36, 10" X 10" X 42, 10" X 10" X 57, 12" X 12" X 53, 12" X 12" X 63, 12" X 12" X 74, 12" X 12" X 84, 14" X 14 ½" X 73, 14" X 14 ½" X 89, 14" X 14 ½" X 102, 14" X 14 ½" X 117	H-PILES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
20	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM UB X KG/M) 150 UB X 14, 150 UB X 18, 180 UB X 16.1,180 UB X 18.1, 180 UB X 22.2, 200 UB X 18.2, 200 UB X 22.3, 200 UB X 25.4, 200 UB X 29.8, 250 UB X 25.7, 250 UB X 31.4, 250 UB X 37.3, 310 UB X 32, 310 UB X 40.4, 310 UB X 46.2, 360 UB X 44.7, 360 UB X 50.7, 360 UB X 56.7, 410 UB X 53.7, 410 UB X 59.7, 460 UB X 67.1, 460 UB X 74.6, 460 UB X 82.1, 530 UB X 82, 530 UB X 92.4, 610 UB X 101, 610 UB X 113, 610 UB X 125	UNIVERSAL BEAMS (UB)	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
21	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM UB X KG/M) 150 UB X 14, 150 UB X 18, 180 UB X 16.1,180 UB X 18.1, 180 UB X 22.2, 200 UB X 18.2, 200 UB X 22.3, 200 UB X 25.4, 200 UB X 29.8, 250 UB X 25.7, 250 UB X 31.4, 250 UB X 37.3, 310 UB X 32, 310 UB X 40.4, 310 UB X 46.2, 360 UB X 44.7, 360 UB X 50.7, 360 UB X 56.7, 410 UB X 53.7, 410 UB X 59.7, 460 UB X 67.1, 460 UB X 74.6, 460 UB X 82.1, 530 UB X 82, 530 UB X 92.4, 610 UB X 101, 610 UB X 113, 610 UB X 125	UNIVERSAL BEAMS (UB)	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR

22	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM UC X KG/M) 100 UC X 14.8, 150 UC X 23.4, 150 UC X 30,150 UC X 37.2, 200 UC X 46.2, 200 UC X 52.2, 200 UC X 59.5, 250 UC X 72.9, 250 UC X 89.5, 310 UC X 96.8, 310 UC X 118, 310 UC X 137, 310 UC X 158	UNIVERSAL COLUMNS (UC)	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
23	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (HE MM A X KG/M) HE 220 A X 50.5, HE 260 A X 68.2, HE 300 A X 88.3, HE 320 A X 97.6,HE 360 A X 112, HE 400 A X 125, HE 450 A X 140, HE 500 A X 155, HE 600 A X 178	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
24	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (HE MM B X KG/M) HE 220 B X 71.5, HE 260 B X 93.0, HE 300 B X 117, HE 320 B X 127,HE 360 B X 142, HE 400 B X 155, HE 450 B X 171, HE 500 B X 187, HE 600 B X 212	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
25	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (IPE MM X KG/M) IPE 360 X 57.1, IPE 400 X 66.3,IPE 450 X 77.6,IPE 500 X 90.7,IPE 550 X 106, IPE 600 X 122	H-BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
26	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM PFC X KG/M) 150 PFC X 17.7, 150 PFC X 17.9, 150 PFC X 18, 180 PFC X 20, 180 PFC X 20.3, 180 PFC X 20.9, 200 PFC X 22.9, 200 PFC X 23, 200 PFC X 23.4, 230 PFC X 25.1, 230 PFC X 25.7, 230 PFC X 26, 250 PFC X 35.5, 250 PFC X 42.3, 250 PFC X 46.7, 300 PFC X 40.1, 300 PFC X 41, 300 PFC X 41.4	PARALLEL FLANGE CHANNELS (PFC)	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR

27	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 125 X 65 X 13.4, 150 X 75 X 18.6, 150 X 75 X 24, 180 X 75 X 21.4, 200 X 80 X 24.6, 200 X 90 X 30.3, 250 X 90 X 34.6, 250 X 90 X 40.2, 300 X 90 X 38.1, 300 X 90 X 43.8, 300 X 90 X 48.6, 380 X 100 X 54.5, 380 X 100 X 62, 380 X 100 X 67.3	CHANNELS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
28	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X MM) 175 X 175 X 12, 175 X 175 X 15, 200 X 200 X 15, 200 X 200 X 16, 200 X 200 X 18, 200 X 200 X 20, 200 X 200 X 24, 200 X 200 X 25, 203 X 203 X 15.9, 203 X 203 X 19.0, 203 X 203 X 22.2, 203 X 203 X 25.4, 250 X 250 X 25, 250 X 250 X 28, 250 X 250 X 35	EQUAL - LEG ANGLES, ANGLES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
29	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 175 X 175 X 31.8, 175 X 175 X 39.4, 200 X 200 X 17.1, 200 X 200 X 45.3, 200 X 200 X 48.5, 200 X 200 X 54.3, 200 X 200 X 59.7, 200 X 200 X 59.9, 200 X 200 X 73.6, 203 X 203 X 48.7, 203 X 203 X 57.9, 203 X 203 X 67.0, 203 X 203 X 75.9, 250 X 250 X 93.7, 250 X 250 X 104, 250 X 250 X 128	EQUAL-LEG ANGLES, ANGLES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
30	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X MM X KG/M) 175 X 175 X 12 X 31.8, 175 X 175 X 15 X 39.4, 200 X 200 X 15 X 45.3, 200 X 200 X 16 X 48.5, 200 X 200 X 18 X 54.3, 200 X 200 X 20 X 59.7, 200 X 200 X 20 X 59.9, 200 X 200 X 24 X 17.1, 200 X 200 X 25 X 73.6, 203 X 203 X 15.9 X 48.7, 203 X 203 X 19.0 X 57.9, 203 X 203 X 22.2 X 67.0, 203 X 203 X 25.4 X 75.9, 250 X 250 X 25 X 93.7, 250 X 250 X 28 X 104, 250 X 250 X 35 X 128	EQUAL -LEG ANGLES, ANGLES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR



31	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (INCH X INCH X LB/FT) 8" X 8" X 32.7, 8" X 8" X 38.9, 8" X 8" X 45, 8" X 8" X 51	EQUAL -LEG ANGLES, ANGLES	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
32	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 50 X 50 X 4.7, 50 X 100 X 8.6, 62.5 X 125 X 11.9, 75 X 75 X 7, 75 X 100 X 10.55, 75 X 150 X 15.75, X 87.5 X 175 X 20.1, 100 X 100 X 9.1, 100 X 100 X 10.65, 100 X 150 X 15.3, 100 X 200 X 24.95, 100 X 200 X 28.1, 100 X 200 X 32.85, 125 X 125 X 12.85, 125 X 125 X 14.8, 125 X 175 X 22.05, 125 X 250 X 32.2, 125 X 250 X 33.25, 125 X 250 X 36.2, 125 X 250 X 41.1, 150 X 150 X 16, 150 X 150 X 18.35, 150 X 200 X 28.4, 150 X 200 X 32.7, 150 X 300 X 42.25, 150 X 300 X 43.5, 150 X 300 X 47, 150 X 300 X 53, 175 X 175 X 20.7, 175 X 175 X 24.8, 175 X 175 X 28.9, 175 X 250 X 34.6, 175 X 250 X 39.85, 175 X 350 X 53, 175 X 350 X 57.5, 175 X 350 X 65.5, 175 X 350 X 68.5, 175 X 350 X 78, 200 X 200 X 28.3, 200 X 200 X 33, 200 X 200 X 37.75, 200 X 300 X 47.15, 200 X 300 X 53.5, 200 X 400 X 70, 200 X 400 X 73.5, 200 X 400 X 86, 200 X 400 X 98.5, 200 X 400 X 116, 225 X 200 X 33.1, 225 X 200 X 38, 225 X 200 X 44.45, 225 X 300 X 53, 225 X 300 X 62, 225 X 300 X 72.5, 250 X 200 X 39.75, 250 X 200 X 44.8, 250 X 200 X 51.5, 250 X 300 X 57, 250 X 300 X 64, 250 X 300 X 75, 300 X 200 X 47.3, 300 X 200 X 53, 300 X 200 X 60, 300 X 200 X 67, 300 X 300 X 68.5, 300 X 300 X 75.5, 300 X 300 X 87.5, 350 X 300 X 83, 350 X 300 X 92.5, 400 X 300 X 95.5, 400 X 300 X 105, 450 X 300 X 106.5, 450 X 300 X 121.5, 450 X 300 X 143	CUT BEAM	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR

33	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 50 X 50 X 4.7, 50 X 100 X 8.6, 62.5 X 125 X 11.9, 75 X 75 X 7, 75 X 100 X 10.55, 75 X 150 X 15.75, X 87.5 X 175 X 20.1, 100 X 100 X 9.1, 100 X 100 X 10.65, 100 X 150 X 15.3, 100 X 200 X 24.95, 100 X 200 X 28.1, 100 X 200 X 32.85, 125 X 125 X 12.85, 125 X 125 X 14.8, 125 X 175 X 22.05, 125 X 250 X 32.2, 125 X 250 X 33.25, 125 X 250 X 36.2, 125 X 250 X 41.1, 150 X 150 X 16, 150 X 150 X 18.35, 150 X 200 X 28.4, 150 X 200 X 32.7, 150 X 300 X 42.25, 150 X 300 X 43.5, 150 X 300 X 47, 150 X 300 X 53, 175 X 175 X 20.7, 175 X 175 X 24.8, 175 X 175 X 28.9, 175 X 250 X 34.6, 175 X 250 X 39.85, 175 X 350 X 53, 175 X 350 X 57.5, 175 X 350 X 65.5, 175 X 350 X 68.5, 175 X 350 X 78, 200 X 200 X 28.3, 200 X 200 X 33, 200 X 200 X 37.75, 200 X 300 X 47.15, 200 X 300 X 53.5, 200 X 400 X 70, 200 X 400 X 73.5, 200 X 400 X 86, 200 X 400 X 98.5, 200 X 400 X 116, 225 X 200 X 33.1, 225 X 200 X 38, 225 X 200 X 44.45, 225 X 300 X 53, 225 X 300 X 62, 225 X 300 X 72.5, 250 X 200 X 39.75, 250 X 200 X 44.8, 250 X 200 X 51.5, 250 X 300 X 57, 250 X 300 X 64, 250 X 300 X 75, 300 X 200 X 47.3, 300 X 200 X 53, 300 X 200 X 60, 300 X 200 X 67, 300 X 300 X 68.5, 300 X 300 X 75.5, 300 X 300 X 87.5, 350 X 300 X 83, 350 X 300 X 92.5, 400 X 300 X 95.5, 400 X 300 X 105, 450 X 300 X 106.5, 450 X 300 X 121.5, 450 X 300 X 143	CUT BEAM	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	--	----------------------	-----	--	----------	---

34	HOT ROLLED SECTIONS OF NON-ALLOY STRUCTURAL STEEL	MS EN 10025-2 : 2011	SYS	DESIGNATION (MM X MM X KG/M) 50 X 50 X 4.7, 50 X 100 X 8.6, 62.5 X 125 X 11.9, 75 X 75 X 7, 75 X 100 X 10.55, 75 X 150 X 15.75, X 87.5 X 175 X 20.1, 100 X 100 X 9.1, 100 X 100 X 10.65, 100 X 150 X 15.3, 100 X 200 X 24.95, 100 X 200 X 28.1, 100 X 200 X 32.85, 125 X 125 X 12.85, 125 X 125 X 14.8, 125 X 175 X 22.05, 125 X 250 X 32.2, 125 X 250 X 33.25, 125 X 250 X 36.2, 125 X 250 X 41.1, 150 X 150 X 16, 150 X 150 X 18.35, 150 X 200 X 28.4, 150 X 200 X 32.7, 150 X 300 X 42.25, 150 X 300 X 43.5, 150 X 300 X 47, 150 X 300 X 53, 175 X 175 X 20.7, 175 X 175 X 24.8, 175 X 175 X 28.9, 175 X 250 X 34.6, 175 X 250 X 39.85, 175 X 350 X 53, 175 X 350 X 57.5, 175 X 350 X 65.5, 175 X 350 X 68.5, 175 X 350 X 78, 200 X 200 X 28.3, 200 X 200 X 33, 200 X 200 X 37.75, 200 X 300 X 47.15, 200 X 300 X 53.5, 200 X 400 X 70, 200 X 400 X 73.5, 200 X 400 X 86, 200 X 400 X 98.5, 200 X 400 X 116, 225 X 200 X 33.1, 225 X 200 X 38, 225 X 200 X 44.45, 225 X 300 X 53, 225 X 300 X 62, 225 X 300 X 72.5, 250 X 200 X 39.75, 250 X 200 X 44.8, 250 X 200 X 51.5, 250 X 300 X 57, 250 X 300 X 64, 250 X 300 X 75, 300 X 200 X 47.3, 300 X 200 X 53, 300 X 200 X 60, 300 X 200 X 67, 300 X 300 X 68.5, 300 X 300 X 75.5, 300 X 300 X 87.5, 350 X 300 X 83, 350 X 300 X 92.5, 400 X 300 X 95.5, 400 X 300 X 105, 450 X 300 X 106.5, 450 X 300 X 121.5, 450 X 300 X 143	CUT BEAMS	STRUCTURAL STEEL = S275, S355 QUALITY DESIGNATION = JR,J0,J2; DELIVERY CONDITION = +AR
----	--	----------------------	-----	--	-----------	---